



Appendix 1. Plant Species Recorded.

Authors: Zhendong, Fang, Pradhan, Rebecca, and Hongping, Deng

Source: A Rapid Biological Assessment of three sites in the Mountains of Southwest China Hotspot, Ganzi Prefecture, Sichuan Province, China: 114

Published By: Conservation International

URL: <https://doi.org/10.1896/054.052.0110>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

附录1. 维管植物名录

Appendix 1. Plant species recorded.

方震东 Rebecca Pradhan 邓洪平
Fang Zhendong, Rebecca Pradhan, and Deng Hongping

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
石杉科 Huperziaceae										
	康定石杉 <i>Huperzia kangdingensis</i> (Ching ex H.S.Kung) Ching		K			x				
石松 Lycopodiaceae										
	石松 <i>Lycopodium japonium</i> Thunb.	Q				x	x			
	多穗石松 <i>Lycopodium annotianum</i> L.		K			x	x		x	
卷柏 Selaginellaceae										
	甘孜卷柏 <i>Lycopodioides sanguinolenta form. kantzensis</i> (H. S. Kung)	Q								
	伏地卷柏 <i>Lycopodioides nipponica</i> Franch.et Sav.	Q				x				
	垫状卷柏 <i>Lycopodioides pulvinata</i> (Hook.et Grev.) H. S. Kung	Q				x				
	狭叶卷柏 <i>Lycopodioides mairei</i> (Lévl.) H. S. Kung		K							
	红枝卷柏 <i>Lycopodioides sanguinolenta</i> (L.) Kuntze	Q								
木贼科 Equisetaceae										
	问荆 <i>Equisetum arvense</i> L.	Q				x				
	笔管草 <i>Equisetum debilis</i> (Roxb.) Ching		K			x				
	披散木贼 <i>Equisetum diffusum</i> Don		K			x				
	节节草 <i>Equisetum ramosissimum</i> Desf.	Q				x				
瓶尔小草科 Ophioglossaceae										
	瓶尔小草 <i>Ophioglossum vulgatum</i> L.				Y	x				
	小叶瓶尔小草 <i>Ophioglossum nudicaule</i> L.	Q				x				
	柄叶瓶尔小草 <i>Ophioglossum petiolatum</i> Hook.					x				
	心叶瓶尔小草 <i>Ophioglossum reticulatum</i> L.		K			x				
蕨科 Pteridiaceae										
	蕨 <i>Pteridium aquilinum var. latiusculum</i> (Desv) Underw	Q				x				
凤尾蕨科 Pteridaceae										
	掌叶凤尾蕨 <i>Pteris dactylina</i> Hook.	Q				x	x			
	凤尾蕨 <i>Pteris cretica</i> L. var. <i>intermedia</i> (Christ) C.Chr.		K			x	x			
	蜈蚣草 <i>Pteris vittata</i> L.	Q				x	x			
中国蕨科 Sinopteridaceae										
	银粉背蕨 <i>Aleuritopteris argentea</i> (Gmel.) Fee	Q					x			
	丽江粉背蕨 <i>Aleuritopteris likiangensis</i> Ching				Y					
	雪白粉背蕨 <i>Aleuritopteris niphobola</i> (C.Chr.) Ching			D						
	西藏粉背蕨 <i>Aleuritopteris subvillosa</i> (Hook.) Ching		K		Y					
	狭盖粉背蕨 <i>Aleuritopteris stenochlamys</i> Ching		K		Y					

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	绒毛粉背蕨 <i>Aleuritopteris subvillosa</i> (Hook.) Ching		K							
	大理碎米蕨 <i>Cheilanthes hancockii</i> Baker		K							
	栗柄金粉蕨 <i>Onychium lucidum</i> (Don) Spreng		K							
	狭叶金粉蕨 <i>Onychium tenuifron</i> Ching		K							
	日本金粉蕨 <i>Onychium japonicum</i> (Thunb.) Kunze		K			x	x			
	阔盖中国蕨 <i>Sinopteris albofusa</i> (Baker) Ching	Q								
	稀叶珠蕨 <i>Cryptogramma stelleri</i> (Gmel.) Prantl		K							
	珠蕨 <i>Cryptogramma raddeana</i> Fomin		K							
铁线蕨科 <i>Adiantaceae</i>										
	铁线蕨 <i>Adiantum capillus-veneris</i> L.	Q				x	x			
	白背铁线蕨 <i>Adiantum davidii</i> Franch.	Q					x			
	长盖铁线蕨 <i>Adiantum fimbriatum</i> Christ	Q					x			
裸子蕨科 <i>Hemionitiaceae</i>										
	滇南金毛裸蕨 <i>Gymnopteris delavayi</i> (Baker) Underw.		K							
	欧洲金毛裸蕨 <i>Gymnopteris marantae</i> (L.) Ching		K		Y					
	金毛裸蕨 <i>Gymnopteris vestita</i> (Wall. ex Hook.) Underw.	Q								
铁角蕨科 <i>Aspleniaceae</i>										
	毛叶铁角蕨 <i>Asplenium praemorsum</i> Sw.		K							
	云南铁角蕨 <i>Asplenium yunnanense</i> Franch.	Q				x				
	北京铁角蕨 <i>Asplenium pekinense</i> Hance	Q				x				
蹄盖蕨科 <i>Athyriaceae</i>										
	日本蹄盖蕨 <i>Athyrium niponicum</i> (Mett.) Hance		K							
	岩生蹄盖蕨 <i>Athyrium rupicola</i> (Edgew ex Hope) C. Chr.	Q								
	希陶蹄盖蕨 <i>Athyrium dentigerum</i> (Wall. ex Clarke) Mehra et Bir	Q								
	川滇蹄盖蕨 <i>Athyrium mackinnonii</i> (Hope) C. Chr.		K							
	冷蕨 <i>Cystopteris fragilis</i> (L.) Bernh.		K							
	皱孢冷蕨 <i>Cystopteris dickieana</i> Sim		K		Y					
	西宁冷蕨 <i>Cystopteris kansuana</i> C. Chr.		K							
	宝兴冷蕨 <i>Cystopteris moupinensis</i> Franch.	Q								
	膜叶冷蕨 <i>Cystopteris pellucida</i> (Farnch.) Ching ex C. Chr.	Q								
	高山冷蕨 <i>Cystopteris montana</i> (Lam.) Bernh. ex Desv.	Q								
	羽节蕨 <i>Gymnocarpium jessoense</i> (Koidz.) Koidz.	Q								
	大叶假冷蕨 <i>Pseudocystopteris atkinsonii</i> (Bedd.) Ching		K		Y					
	三角叶假冷蕨 <i>Pseudocystopteris subtriangularis</i> (Hook.) Ching	Q								
	睫毛盖假冷蕨 <i>Pseudocystopteris schizochlamys</i> Ching	Q								
球子蕨科 <i>Onocleaceae</i>										
	中华荚果蕨 <i>Matteuccia intermedia</i> C. Chr.	Q				x	x			
岩蕨科 <i>Woodsiaceae</i>										
	毛盖岩蕨 <i>Woodsia lanosa</i> Hook.		K							
	栗柄岩蕨 <i>Woodsia cycloloba</i> Hand.-Mazz.		K		Y					
	密毛岩蕨 <i>Woodsia rothorniana</i> Diels	Q								
	蜘蛛岩蕨 <i>Woodsia andersoni</i> (Bedd.) Christ		K		Y					
	膀胱蕨 <i>Potowoodsia manchuriensis</i> (Hook.) Ching		K							
鳞毛蕨科 <i>Dryopteridaceae</i>										
	褐鳞鳞毛蕨 <i>Dryopteris squamifera</i> Ching et S. K. Wu			D	Y					
	纤维鳞毛蕨 <i>Dryopteris sinofibrillosa</i> Ching	Q								
	多鳞鳞毛蕨 <i>Dryopteris barbigera</i> (T. Moore et Hook.) O. Ktze.	Q								

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	刺尖鳞毛蕨 <i>Dryopteris serrate-dentata</i> (Bedd.) Hayata			D	Y					
	尖齿鳞毛蕨 <i>Dryopteris acuto-dentata</i> Ching			D	Y					
	狭叶芽胞耳蕨 <i>Polystichum atkinsonii</i> Bedd.		K							
	刺叶耳蕨 <i>Polystichum acanthophyllum</i> (Franch.) Christ	Q								
	斜方刺叶耳蕨 <i>Polystichum rhombiforme</i> Ching et S. K. Wu		K	D						
	高山小耳蕨 <i>Polystichum lanchense</i> (Hook.) Bedd.			D	Y					
	毛叶耳蕨 <i>Polystichum mollissimum</i> Ching		K							
	康定耳蕨 <i>Polystichum kangdingense</i> H. S. Kung et L. B. Zhang		K							
水龙骨科 Polypodiaceae										
	节肢蕨 <i>Arthromeris lehmanni</i> (Mett.) Ching		K			x				
	狭叶瓦韦 <i>Lepisorus angustus</i> Ching		K	D		x				
	有边瓦韦 <i>Lepisorus marginatus</i> Ching		K			x				
	长瓦韦 <i>Lepisorus pseudonudus</i> Ching		K			x				
	川西瓦韦 <i>Lepisorus soulieanus</i> (Christ) Ching		K			x				
	多变瓦韦 <i>Lepisorus variabilis</i> Ching	Q				x				
	黄瓦韦 <i>Lepisorus asterolepis</i> (Baker) Ching		K			x				
	白边瓦韦 <i>Lepisorus morrisonensis</i> (Hayata) H. Ito	Q				x				
	柔毛水龙骨 <i>Polypodiodes amoenum</i> var. <i>pilosum</i> (C. B. Clarke) Ching		K			x				
	光茎水龙骨 <i>Polypodiodes wattii</i> (Bedd.) Ching		K	D		x				
	有柄石韦 <i>Pyrrosia petiolosa</i> (Christ) Ching		K			x				
	西南石韦 <i>Pyrrosia gralla</i> (Gies.) Ching			D		x				
	毡毛石韦 <i>Pyrrosia drakeana</i> (Franch.) Ching	Q				x				
	黑鳞假瘤蕨 <i>Phymatopteris ebenipes</i> (Hook.) Pic.	Q								
	紫柄假瘤蕨 <i>Phymatopteris crenato-pinnata</i> (Clarke) Ching		K	D						
槲蕨科 Drynariaceae										
	川滇槲蕨 <i>Drynaria delavayi</i> Christ		K	D		x				
	石莲姜槲蕨 <i>Drynaria propinqua</i> (Wall. ex Mett.) J. Sm. ex Bedd.		K			x				
	中华(秦岭)槲蕨 <i>Drynaria sinica</i> Diels	Q				x				
剑蕨科 oxogrammeaceae										
	中华剑蕨 <i>Loxogramme chinensis</i> Ching		K	D						
裸子植物 GYMNOSPERMAE										
松科 Pinaceae										
	冷杉 <i>Abies fabri</i> (Mast.) Craib		K			x	x	x		
	岷江冷杉 <i>Abies faxoniana</i> Rehd. et Wils.		K				x	x		
	鳞皮冷杉 <i>Abies squamata</i> Mast.	Q					x	x		
	长苞冷杉 <i>Abies georgei</i> Orr		K				x	x		
	急尖长苞冷杉 <i>Abies georgei</i> var. <i>smithii</i> (Viguie et Gausson) Cheng et L. K. Fu		K		Y		x	x		
	黄果冷杉 <i>Abies recurvata</i> var. <i>ernestii</i> (Rehd.) C. T. Kuan	Q					x	x		
	川滇冷杉 <i>Abies forrestii</i> C. C. Rogers	Q					x	x		
	红杉 <i>Larix potaninii</i> Batal.	Q					x	x		
	大果红杉 <i>Larix potaninii</i> Batal. var. <i>macrocarpa</i> Law	Q					x	x		
	丽江云杉 <i>Picea likangensis</i> (Franch.) Pritz.	Q					x	x		
	林芝云杉 <i>Picea linzhiensis</i> (Cheng et L. K. Fu) Cheng et L. K. Fu				Y		x	x		
	鳞皮云杉 <i>Picea retroflexa</i> Mast.		K	D			x	x		
	川西云杉 <i>Picea balfouriana</i> Rehd. et Wils.	Q					x	x		
	黄果云杉 <i>Picea balfouriana</i> var. <i>hirtella</i> (Rehd. et Wils.) Cheng		K		Y		x	x		
	云杉 <i>Picea asperata</i> Mast.		K	D		x	x	x		

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	华山松 <i>Pinus armandi</i> Franch.		K	D		x	x	x		
	高山松 <i>Pinus densata</i> Mast.	Q					x	x		
	云南松 <i>Pinus yunnanensis</i> Franch.		K				x	x		
	铁杉 <i>Tsuga chinensis</i> (Franch.) Pritz.	Q					x	x		
	矩鳞铁杉 <i>Tsuga chinensis</i> var. <i>oblongisquamata</i> Cheng et L. K. Fu		K	D			x	x		
	云南铁杉 <i>Tsuga dumosa</i> (D. Don) Eichler		K				x	x		
柏科 Cupressaceae										
	岷江柏木 <i>Cupressus chengiana</i> S. Y. Hu		K				x	x		
	刺柏 <i>Juniperus formosana</i> Hayata		K	D			x			
	侧柏 <i>Platycladus orientalis</i> (L.) Franco		K			x	x	x		
	大果圆柏 <i>Sabina tibetica</i> Kom.		K		Y	x	x	x		
	高山柏 <i>Sabina squamata</i> (Buch.-Ham.) Ant.	Q					x			
	香柏 <i>Sabina pingii</i> var. <i>wilsonii</i> (Rehd.) Cheng et L. K. Fu		K		Y	x	x	x		
	密枝圆柏 <i>Sabina convallium</i> (Rehd. et Wils.) Cheng et W. T. Wang			D			x			
	方枝柏 <i>Sabina saltuaria</i> (Rehd. et Wils.) Cheng et W.T.Wang			D	Y		x			
	滇藏方枝柏 <i>Sabina wallichiana</i> (Hook. f. et Thoms.) Kom.				Y		x			
三尖杉科 Cephalotaxus										
	三尖杉 <i>Cephalotaxus fortunei</i> Hook. f.		K			x	x	x		
红豆杉科 Taxaceae										
	红豆杉 <i>Taxus chinensis</i> (Pilg.) Rehd.		K	D		x	x	x		
麻黄科 Ephedraceae										
	矮麻黄 <i>Ephedra minuta</i> Florin		K			x				
	异株矮麻黄 <i>Ephedra minuta</i> Florin var. <i>dioeca</i> C. Y. Cheng				Y	x				
	垫状山岭麻黄 <i>Ephedra gerardiana</i> var. <i>congesta</i> C. Y. Cheng				Y	x				
	丽江麻黄 <i>Ephedra likiangensis</i> Florin				Y	x				
被子植物 GYMNOSPEMAE										
双子叶植物 Dicotyledoneae										
三白草科 Saururaceae										
	蕺菜 (鱼腥草) <i>Houttuynia cordata</i> Thunb.		K			x	x	x		
蛇菰科 alaphoraceae										
	筒鞘蛇菰 <i>Balanophora involucrata</i> Hook. f.		K			x	x			
蓼科 Polygonaceae										
	荞麦 <i>Fagopyrum esculentum</i> Moench		K			x	x			x
	冰岛蓼 <i>Koenigia islandica</i> L.				Y					
	山蓼 <i>Oxyria digyna</i> (L.) Hill		K							
	中华山蓼 <i>Oxyria sinensis</i> Hemsl.	Q								
	珠芽蓼 <i>Polygonum viviparum</i> L.	Q				x	x			
	细叶珠芽蓼 <i>Polygonum viviparum</i> var. <i>angustum</i> A. J. Li				Y					
	翅柄蓼 <i>Polygonum sinomontanum</i> Sam.	Q								
	多穗蓼 <i>Polygonum polystachyum</i> Wall. ex Meisn.		K		Y					
	圆穗蓼 <i>Polygonum sphaerostachyum</i> Meisn.	Q								
	尼泊尔蓼 <i>Polygonum nepalense</i> Meisn.	Q								
	冰川蓼 <i>Polygonum glaciale</i> (Meisn.) Hook.f.		K		Y					
	蓝药蓼 <i>Polygonum cyanandrum</i> Diels	Q								
	习见蓼 <i>Polygonum plebeium</i> R. Br.				Y					
	篇蓄 <i>Polygonum aviculare</i> L.		K			x				
	水黄 (苞叶大黄) <i>Rheum alexandrae</i> Batalin				Y		x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	塔黄 <i>Rheum nobile</i> Hook. f. et Thoms.				Y		x	x		
	滇边大黄 <i>Rheum delavayi</i> Franch.			D	Y		x			
	掌叶大黄 <i>Rheum palmatum</i> L.	Q				x	x		x	
	鸡爪大黄 <i>Rheum tanguticum</i> Maxim. ex Regel.		K			x	x		x	
	疏枝大黄 <i>Rheum kialense</i> Franch.		K		Y	x	x		x	
	小大黄 <i>Rheum pumilum</i> L.				Y	x				
	酸模 <i>Rumex acetosa</i> L.		K		Y	x	x		x	
	尼泊尔酸模 <i>Rumex nepalensis</i> Spreng.	Q				x	x		x	
	戟叶酸模 <i>Rumex hastatus</i> D. Don Spreng.		K		Y	x	x		x	
水青树科 Tetracentraceae										
	水青树 <i>Tetracentron sinense</i> Oliv.		K				x		x	
昆栏树科 Trochodendraceae										
	领春木 <i>Euptelea pleiospermum</i> Hook. f. et Thoms.		K				x		x	
连香树科 ercidiphyllaceae										
	连香树 <i>Cercidiphyllum japonicum</i> var. <i>sinense</i> Rehd et Wils.		K				x		x	
樟科 Lauraceae										
	三桠乌药 <i>Lindera obtusiloba</i> Bl.		K			x	x	x	x	
	卵叶钓樟 <i>Lindera limprichtii</i> Winkler		K			x	x	x		
	菱叶钓樟 <i>Lindera supracastata</i> H. Lec.		K			x		x		
	高山木姜子 <i>Litsea chunii</i> Cheng		K			x	x	x		
	康定木姜子 <i>Litsea kangdingensis</i> H. S. Kung		K			x		x		
毛茛科 Ranunculaceae										
	黄毛乌头 <i>Aconitum chrysotrichum</i> W. T. Wang				Y	x	x			
	等叶花葶乌头 <i>Aconitum scaposum</i> var. <i>hupehanum</i> Rapaics	Q				x	x			
	甘青乌头 <i>Aconitum tanguticum</i> (Maxim.) Stapf.				Y	x	x			
	美丽乌头 <i>Aconitum pulchellum</i> Hand.-Mazz.				Y	x	x			
	康定乌头 <i>Aconitum tatsienense</i> Finet et Gagnep.		K		Y	x	x			
	工布乌头 <i>Aconitum kongboense</i> Lauense		K		Y	x	x			
	露蕊乌头 <i>Aconitum gymnandrum</i> Maxim.	Q				x	x			
	蓝侧金展花 <i>Adonis coerulea</i> Maxim.	Q				x	x			x
	大火草 <i>Anemone tomentosa</i> (Maxim.) Pei	Q				x	x		x	x
	野棉花 <i>Anemone vitifolia</i> Buch.-Ham.		K			x	x		x	x
	草玉梅 <i>Anemone rivularis</i> Buch.-Ham.ex DC.	Q				x	x		x	x
	卵叶银莲花 <i>Anemone obtusiloba</i> D. Don.	Q					x			
	条叶银莲花 <i>Anemone trullifolia</i> var. <i>linears</i> (Bruhl) Hand.-Mazz.	Q					x			
	展毛银莲花 <i>Anemone demissa</i> Hook.f. et Thoms.	Q					x			
	云南银莲花 <i>Anemone demissa</i> var. <i>yunnanensis</i> Franch.				Y		x			
	迭裂银莲花 <i>Anemone imbricate</i> Maxim.	Q					x			
	细距耧斗菜 <i>Aquilegia ecalcarata</i> f. <i>semicalcarata</i> (Schipcz.) Hand-Mazz.	Q				x	x			x
	无距耧斗菜 <i>Aquilegia ecalcarata</i> Maxim.	Q				x	x			x
	水毛茛 <i>Batrachium bungei</i> (Steud.)L.Liou		K				x			
	驴蹄草 <i>Caltha palustris</i> L.	Q				x	x		x	
	空茎驴蹄草 <i>Caltha palustris</i> L.var. <i>barthel</i> Hance	Q					x		x	
	花葶驴蹄草 <i>Caltha scaposa</i> Hook.f. et Thoms.	Q					x		x	
	星叶草 <i>Circaeaster agrestis</i> Maxim.				Y		x			
	升麻 <i>Cimicifuga foetida</i> L.	Q				x	x		x	x
	单穗升麻 <i>Cimicifuga simplex</i> Wormsk.	Q				x	x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	长花铁线莲 <i>Clematis rehderiana</i> Craib		K		Y		x		x	
	金毛铁线莲 <i>Clematis chrysocoma</i> Franch.		K				x		x	
	甘青铁线莲 <i>Clematis tangutica</i> (Maxim.) Korsh.	Q					x		x	
	薄叶铁线莲 <i>Clematis gracilifolia</i> Rehd. et Wils.		K		Y		x		x	
	羽叶铁线莲 <i>Clematis pinnata</i> Maxim.		K				x		x	
	粗齿铁线莲 <i>Clematis argenteolucida</i> (Levi. et Vant.) W. T. Wang		K			x	x		x	
	短距翠雀花 <i>Delphinium forrestii</i> Diels				Y		x			
	川西翠雀花 <i>Delphinium tongolense</i> Franch.	Q					x			
	毛翠雀花 <i>Delphinium trichophorum</i> Franch.	Q					x			
	贡噶翠雀花 <i>Delphinium hui</i> Chen	Q					x			
	展毛翠雀花 <i>Delphinium kamaonense</i> var. <i>glabrescens</i> W. T. Wang				Y		x			
	康定翠雀花 <i>Delphinium tatsienense</i> Franch.		K		Y		x			
	水葫芦苗 <i>Halerpestes sarmentosa</i> (Adams) Kom.				Y					
	铁筷子 <i>Helleborus thibetanus</i> Franch.	Q				x	x			
	雅跖花 <i>Oxygraphis glacialis</i> (Fisch. ex DC.) Bunge.	Q								
	小雅跖花 <i>Oxygraphis tenuifolia</i> W. E. Evans				Y					
	西南白头翁 <i>Pulsatilla millefolium</i> (Hemsl. et Wils.) Ulbr.	Q					x			
	康定毛茛 <i>Ranunculus dislitanus</i> Ulbr.		K		Y		x			
	高原毛茛 <i>Ranunculus tanguticus</i> (Maxim.) Ovcz.	Q					x			
	毛果毛茛 <i>Ranunculus tanguticus</i> var. <i>dasycarpus</i> (Maxim) L.Liou	Q					x			
	云南毛茛 <i>Ranunculus yunnanensis</i> Franch.				Y		x			
	云生毛茛 <i>Ranunculus nephetogenes</i> Edgew.	Q					x			
	黄三七 (长果升麻) <i>Soulia vaginata</i> (Maxim.) Franch.	Q				x	x			
	微毛爪哇唐松草 <i>Thalictrum javanicum</i> W. T. Wang		K		Y		x		x	
	小喙唐松草 <i>Thalictrum rostellatum</i> Hook. f. et Thoms.		K	D			x		x	
	钩柱唐松草 <i>Thalictrum uncatum</i> Maxim.	Q					x		x	
	狭序唐松草 <i>Thalictrum atriplex</i> Finet et Gagnep.	Q					x		x	
	长柱唐松草 <i>Thalictrum megalostigma</i> (Boivin) W.T. Wang		K	D			x		x	
	网脉唐松草 <i>Thalictrum reticulatum</i> Franch.	Q					x		x	
	白茎唐松草 <i>Thalictrum leuconotum</i> Franch.		K		Y		x		x	
	帚枝唐松草 <i>Thalictrum virgatum</i> Hook. f. et Thoms.	Q					x		x	
	芸香叶唐松草 <i>Thalictrum rutaefolium</i> Hook. f. et Thoms.		K		Y		x		x	
	偏翅唐松草 <i>Thalictrum delavayi</i> Franch.	Q					x		x	
	滇川唐松草 <i>Thalictrum finetii</i> Boivin	Q					x		x	
	高原唐松草 <i>Thalictrum cultratum</i> Wall.	Q					x		x	
	腺毛唐松草 <i>Thalictrum foetidum</i> L.	Q					x		x	
	石砾唐松草 <i>Thalictrum squamiferum</i> Lecoy.		K		Y		x		x	
	直梗高山唐松草 <i>Thalictrum alpinum</i> var. <i>elatum</i> Ulbr.	Q					x		x	
	鞭柱唐松草 <i>Thalictrum smithii</i> Boivin				Y		x		x	
	云南金莲花 <i>Trollius yunnanensis</i> (Franch.) Ulbr.	Q				x	x			
	青藏金莲花 <i>Trollius pumilus</i> var. <i>tanguticus</i> Brühl				Y		x			
	毛茛状金莲花 <i>Trollius ranunculoides</i> Hemsl.	Q				x	x			
芍药科 Paeoniaceae										
	川赤芍 <i>Paeonia veitchii</i> Lynch	Q				x	x		x	x
罂粟科 Papaveraceae										
	塞北黄堇 <i>Corydalis impatiens</i> (Pall.) Fisch. ex DC.	Q					x			
	全冠黄堇 <i>Corydalis tongolensis</i> Franch.		K				x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	灰绿黄堇 <i>Corydalis adunca</i> Maxim.	Q					x			
	蛇果黄堇 <i>Corydalis ophiocarpa</i> Hook.f.et Thoms.	Q				x	x			
	川西黄堇 <i>Corydalis grandiflora</i> C. Y. Wu		K	D			x			
	曲花紫堇 <i>Corydalis curviflora</i> Maxim.		K				x			
	具爪曲花紫堇 <i>Corydalis curviflora</i> Maxim. var. <i>rosthornii</i> Fedde		K				x			
	糙果紫堇 <i>Corydalis trachycarpa</i> Maxim.	Q					x			
	滇秃疮花 <i>Dicranostigma franchetianum</i> (Prain) Fedde		K			x	x			x
	全缘绿绒蒿 <i>Meconopsis integrifolia</i> (Maxim.) Franch.	Q				x	x			
	总状绿绒蒿 <i>Mecnopsis horridula</i> var. <i>racemosa</i> (Maxim) Prain				Y	x	x			
	长叶绿绒蒿 <i>Meconopsis lancifolia</i> (Franch.) Franch.ex Prain		K		Y	x	x			
	红花绿绒蒿 <i>Meconopsis punicea</i> Maxim.				Y	x	x			
	多刺绿绒蒿 <i>Meconopsis horridula</i> Hook. f. et Thoms.				Y	x	x			
景天科 Crassulaceae										
	白八宝(白景天) <i>Hylotelephium pallesces</i> (Freyn) H. Ohba	Q				x	x			
	狭穗八宝 <i>Hylotelephium angustum</i> (Maxim.) H. Ohba	Q					x			
	红景天 <i>Rhodiola rosea</i> L.				Y	x	x			
	粗糙红景天 <i>Rhodiola scabrida</i> (Franch.) S.H. Fu	Q				x	x			
	西川红景天 <i>Rhodiola alsia</i> (Fröd.) S.H.Fu		K		Y	x	x			
	异色红景天 <i>Rhodiola discolor</i> (Franch.) S.H.Fu		K		Y	x	x			
	大花红景天 <i>Rhodiola crenulata</i> (Hook. f. et Thoms.) H. Ohba		K		Y	x	x			
	狭叶红景天 <i>Rhodiola kililowii</i> (Regel) Maxim.	Q				x	x			
	长鞭红景天 <i>Rhodiola fastigiata</i> (Hook. f. et Thoms.) S.H.Fu	Q				x	x			
	云南红景天 <i>Rhodiola yunnanensis</i> (Franch.) S.H.Fu	Q				x	x			
	四裂红景天 <i>Rhodiola quadrifida</i> (Pall.) Fish. et Mey.	Q				x	x			
	小丛红景天 <i>Rhodiola dumulosa</i> (Franch.) S. F. Hu				Y	x	x			
	费菜 <i>Sedum aizoon</i> L.		K			x				
	岷江景天 <i>Sedum balfouri</i> Hamet			D	Y					
	白果景天 <i>Sedum leucocarpum</i> Franch.		K	D						
	多茎景天 <i>Sedum multicaule</i> Wall.		K							
	藓茎景天 <i>Sedum dugueyi</i> Hamet	Q								
	钝瓣景天 <i>Sedum obtusipetalum</i> Franch.				Y					
	倒卵叶景天 <i>Sedum morotii</i> Hamet	Q								
	三裂景天 <i>Sedum costantini</i> Hamet		K		Y					
	川西景天 <i>Sedum rosei</i> Hamet	Q								
	啮瓣景天 <i>Sedum daigremontianum</i> Hamet	Q								
	大炮山景天 <i>Sedum erici-magnusii</i> Fröd.		K		Y					
	高原景天 <i>Sedum przewalskii</i> Maxim.	Q								
	轮叶景天 <i>Sedum chauveaudii</i> Hamet	Q								
	石莲 <i>Sinocrassula indica</i> (Dence) Berger.	Q					x			
	钝叶石莲 <i>Sinocrassula indica</i> var. <i>obtusifolia</i> (Fröd.) Fu	Q								
虎耳草科 Saxifragaceae										
	落新妇 <i>Astilbe chinensis</i> (Maxim.) Franch. et Savat.	Q				x	x		x	
	岩白菜 <i>Bergenia purpurascens</i> (Hook. f. et Thoms.) Engl.	Q				x	x			
	锈毛金腰 <i>Chrysosplenium davidianum</i> Decne. ex Maxim.				Y					
	肾叶金腰 <i>Chrysosplenium griffithii</i> Hook. f. et Thoms.	Q								
	青铜钱 <i>Parnassia tenella</i> Hook. f. et Thoms				Y					
	白花梅花草 <i>Parnassia aphylla</i> Ku	Q				x	x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	三脉梅花草 <i>Parnassia trinervis</i> Drude				Y	x	x			
	绿花梅花草 <i>Parnassia viridiflora</i> Batalin	Q				x	x			
	短柱梅花草 <i>Parnassia brevistyla</i> (Brieg) Hand.-Mazz.	Q				x	x			
	七叶鬼灯擎 <i>Rodgersia aesculifolia</i> Batalin	Q					x			
	西南鬼灯擎 <i>Rodgersia sambucifolia</i> Hemsl.	Q					x			
	光西南鬼灯擎 <i>Rodgersia sambucifolia</i> var. <i>estrigosa</i> J. T. Pan	Q					x			
	虎耳草 <i>Saxifraga stolonifera</i> Curt.					x	x			
	黑蕊虎耳草 <i>Saxifraga melanocentra</i> Franch.	Q								
	多花虎耳草 <i>Saxifraga hypericoides</i> Franch.	Q								
	长柱多花虎耳草 <i>Saxifraga hypericoides</i> f. <i>longistyla</i> (Franch.) J.T.Pan		K							
	山羊臭虎耳草 <i>Saxifraga hirculus</i> L.				Y					
	宽叶甘青虎耳草 <i>Saxifraga tangutica</i> var. <i>platyphylla</i> (H. Smith) J. T. Pan		K							
	山地虎耳草 <i>Saxifraga montana</i> H. Smith		K		Y					
	疏毛虎耳草 <i>Saxifraga pilopetala</i> J.T.Pan									
	小芒虎耳草 <i>Saxifraga aristulata</i> Hook. f. et Thoms.				Y					
	优越虎耳草 <i>Saxifraga egregia</i> Engl.		K							
	异叶虎耳草 <i>Saxifraga diversifolia</i> Wall.ex Ser.		K	D						
	理塘虎耳草 <i>Saxifraga litangensis</i> Engl.		K							
	垂头虎耳草 <i>Saxifraga nigroglandulifera</i> Balakr.	Q								
	卵心叶虎耳草 <i>Saxifraga ovatocordata</i> Hand.-Mazz.	Q								
	伏毛虎耳草 <i>Saxifraga strigosa</i> Wall. ex Ser.	Q								
	流苏虎耳草 <i>Saxifraga wallichiana</i> Sternb.	Q								
	线茎虎耳草 <i>Saxifraga filicaulis</i> Wall. ex Ser.		K		Y					
	匍枝虎耳草 <i>Saxifraga flagellaris</i> Willd. ex Sternb.	Q								
	小果虎耳草 <i>Saxifraga microgyna</i> Engl. et Irmsch.	Q								
	红虎耳草 <i>Saxifraga sanguinea</i> Franch.	Q								
	大柱头虎耳草 <i>Saxifraga macrostigma</i> Franch.		K							
	繁缕虎耳草 <i>Saxifraga stellariifolia</i> Franch.		K							
	黄水枝 <i>Tiarella polyphylla</i> D.Don		K			x	x			
绣球花科 Hydrangeaceae										
	挂苦绣球 <i>Hydrangea xanthoneura</i> Diels		K				x			x
	密毛绣球 <i>Hydrangea heteromalla</i> D. Don.		K				x			
	短萼齿溲疏 <i>Deutzia staminea</i> R. Br. ex Wall.				Y		x			
	长叶溲疏 <i>Deutzia longifolia</i> Franch.	Q					x			
	球花溲疏 <i>Deutzia glomeruliflora</i> Franch.	Q					x			
	太平花 <i>Philadelphus pekinensis</i> Rupr.	Q					x			
	紫萼山梅花 <i>Philadelphus purpurascens</i> (Koehne) Rehd.	Q					x		x	x
	毛柱山梅花 <i>Philadelphus subscanus</i> Koehne		K	D			x		x	x
	粗毛山梅花 <i>Philadelphus subscanus</i> var. <i>magdalenae</i> (Koehne) S. Y. Hu		K				x		x	x
	刺茶藨子 <i>Ribes alpestre</i> Wall.ex Decne.	Q					x			
	糖茶藨 <i>Ribes himalense</i> Royle ex Decne.	Q					x			
	宝兴茶藨子 <i>Ribes moupinense</i> Franch.		K				x			
	细枝茶藨子 <i>Ribes tenue</i> Jancz.	Q					x			
	黄果茶藨 <i>Ribes villosum</i> Wall.			D			x			
	狭萼茶藨子 <i>Ribes laciniatum</i> Hook. f. et Thoms				Y		x			
	狭果茶藨子 <i>Ribes stenocarpum</i> Maxim.			D			x			
	冰川茶藨子 <i>Ribes glaciale</i> Wall.	Q					x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	紫花茶藨子 <i>Ribes luridum</i> Hook. f. et Thoms	Q					x			
杜仲科 Eucommiaceae										
	杜仲 <i>Eucommia ulmoides</i> Oliver		K			x			x	
蔷薇科 Rosaceae										
	龙牙草 <i>Agrimonia pilosa</i> Ledeb.		K			x				x
	光核桃 <i>Amygdalus mira</i> (Koehne) Yüet Lu				Y	x				x
	甘肃桃 <i>Amygdalus kansuensis</i> (Rehd.) Skeels		K			x				x
	藏杏 <i>Armeniaca holosericea</i> (Batal.) Kost.		K	D		x				x
	川西樱桃 <i>Cerasus trichostoma</i> (Koehne) Yü et Li	Q				x				x
	锥腺樱桃 <i>Cerasus conadenia</i> Koehne			D		x				x
	多毛樱桃 <i>Cerasus polytricha</i> (Koehne) Yüet Li		K	D		x				x
	毛樱桃 <i>Cerasus tomentosa</i> (Thunb.) Wall.	Q				x				x
	细齿樱桃 <i>Cerasus serrula</i> (Franch.) Yü et C. L. Li	Q				x				x
	匍匐栒子 <i>Cotoneaster adpressus</i> Bois	Q					x			
	毡毛栒子 <i>Cotoneaster pannosus</i> Franch.		K		Y		x			
	尖叶栒子 <i>Cotoneaster acuminatus</i> Lindl.	Q					x			
	厚叶栒子 <i>Cotoneaster coriaceus</i> Franch.		K	D			x			
	木帚栒子 <i>Cotoneaster dielsianus</i> Pritz.	Q					x			
	细枝栒子 <i>Cotoneaster gracilis</i> Reng. et Wils.	Q					x			
	暗红栒子 <i>Cotoneaster obscurus</i> Rehd. et Wils.	Q					x			
	宝兴栒子 <i>Cotoneaster moupinensis</i> Franch.		K				x			
	泡叶栒子 <i>Cotoneaster bullatus</i> Bois.		K	D			x			
	平枝栒子 <i>Cotoneaster norizontalis</i> Dcne.	Q					x			
	准噶尔栒子 <i>Cotoneaster soongoricus</i> (Regel et Herd.) Popov		K				x			
	黄杨叶栒子 <i>Cotoneaster buxifo Iium</i> Lindl.		K	D			x			
	水栒子 <i>Cotoneaster multiflorus</i> Bge.	Q					x			x
	毛叶水栒子 <i>Cotoneaster submultiflorus</i> Popov	Q					x			x
	小叶栒子 <i>Cotoneaster microphyllus</i> Wall. ex Lindl.		K		Y		x			
	甘肃山楂 <i>Crataegus kansuensis</i> Wils.		K			x	x			x
	东方草莓 <i>Fragaria orientalis</i> Lozinsk.	Q				x	x			x
	水杨梅(路边青) <i>Geum aleppicum</i> Jacq.	Q				x	x			
	苹果 <i>Malus pumila</i> Mill.	Q					x			x
	稻城海棠 <i>Malus daochengensis</i> C.L. Li				Y		x			x
	陇东海棠 <i>Malus kansuensis</i> (Batal.) Schneid.	Q					x			x
	丽江山荆子 <i>Malus rockii</i> Rehd.		K		Y		x			x
	变叶海棠 <i>Malus toringoides</i> (Rehd.) Hughes.		K		Y		x			x
	花叶海棠 <i>Malus transitoria</i> (Batal.) Schneid.				Y		x			x
	川康绣线梅 <i>Neillia affinis</i> Hemsl						x			
	华西小石积 <i>Osteomeles schwerinae</i> Schneid.		K				x			
	细齿稠李 <i>Padus brunnescens</i> Yü et Ku	Q					x			x
	褐毛稠李 <i>Padus brunnescens</i> Yü et Ku		K				x			x
	倒卵叶石楠 <i>Photinia lasiogyne</i> (Franch.) Schneid.		K			x	x			x
	金露梅 <i>Potentilla fruticosa</i> L.				Y	x	x		x	x
	白毛金露梅 <i>Potentilla fruticosa</i> var. <i>albicans</i> Rehd. & Wils.	Q					x		x	x
	银露梅 <i>Potentilla glabra</i> Lodd.	Q				x	x		x	x
	伏毛银露梅 <i>Potentilla glabra</i> var. <i>veitchii</i> (Wils.) Hand.-Mazz.		K		Y		x		x	x
	小叶金露梅 <i>Potentilla parvifolia</i> Fisch.	Q					x		x	x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	毛果菱陵菜 <i>Potentilla eriocarpa</i> Wall. ex Lehm.		K		Y		x		x	x
	西南菱陵菜 <i>Potentilla fulgens</i> Wall.	Q					x		x	x
	银叶菱陵菜 <i>Potentilla leuconota</i> D. Don		K		Y		x		x	x
	脱毛银叶菱陵菜 <i>Potentilla leuconota</i> var. <i>brachyphyllaria</i> Card.		K				x		x	x
	康定菱陵菜 <i>Potentilla tatsienluensis</i> Wolf	Q					x		x	x
	多茎菱陵菜 <i>Potentilla multicaulis</i> Bunge		K				x		x	x
	华西菱陵菜 <i>Potentilla potaninii</i> Wolf		K				x		x	x
	钉柱菱陵菜 <i>Potentilla saundersiana</i> Royle		K		Y		x		x	x
	匍枝菱陵菜 <i>Potentilla flagellaris</i> Willd. ex Schlecht.				Y		x		x	x
	匍匐菱陵菜 <i>Potentilla reptans</i> L.				Y		x		x	x
	楔叶菱陵菜 <i>Potentilla cuneata</i> Wall. ex Lehm.	Q					x		x	x
	扁核木 <i>Prinsepia utilis</i> Royle.			D	Y					
	火棘 <i>Pyracantha fortuneana</i> (Maxim.) Li		K			x	x			x
	细梗蔷薇 <i>Rosa graciliflora</i> Rehd. et Wils.	Q					x			x
	铁杆蔷薇 <i>Rosa prattii</i> Hemsl.			D			x			x
	峨眉蔷薇 <i>Rosa omeiensis</i> Rolfe.	Q					x			x
	绢毛蔷薇 <i>Rosa sericea</i> Lindl.	Q					x			x
	毛叶蔷薇 <i>Rosa mairei</i> Lévl.		K		Y		x			x
	西康蔷薇 <i>Rosa sikangensis</i> Yü et Ku				Y		x			x
	腺叶扁刺蔷薇 <i>Rosa sweginzowii</i> var. <i>glandulosa</i> Card.		K				x			x
	毛叶蔷薇 <i>Rosa mairei</i> Lévl.			D	Y		x			x
	小果蔷薇 <i>Rosa cymosa</i> Tratt.		K				x			x
	川滇蔷薇 <i>Rosa soulieana</i> Crép.	Q					x			x
	小叶川滇蔷薇 <i>Rosa soulieana</i> var. <i>microphylla</i> Yü		K	D			x			x
	多花蔷薇 <i>Rosa multiflora</i> Thunb.		K				x			x
	白叶莓 <i>Rubus innominatus</i> S. Moore	Q					x			
	直立悬钩子 <i>Rubus stans</i> Focke				Y		x			
	黄色悬钩子 <i>Rubus lutescens</i> Franch.	Q				x	x			
	红毛悬钩子 <i>Rubus pinfaensis</i> Lévl. et Vant.		K	D			x			
	细瘦悬钩子 <i>Rubus macilentus</i> Camb.		K				x			
	喜荫悬钩子 <i>Rubus mesogaeus</i> Focke		K				x			
	粉枝莓 <i>Rubus biflorus</i> Buch.-Ham.	Q					x			
	秀丽莓 <i>Rubus amabilis</i> Focke		K				x			
	红泡刺藤 <i>Rubus niveus</i> Thunb.	Q					x			
	菰帽悬钩子 <i>Rubus pileatus</i> Focke		K				x			
	宜昌悬钩子 <i>Rubus ichangensis</i> Heml. et Ktze.		K				x			
	地榆 <i>Sanguisorba officinalis</i> L.		K			x	x			
	矮地榆 <i>Sanguisorba filiformis</i> (Hook. f.) Hand.-Mazz.	Q				x	x			
	隐瓣山梅草 <i>Sibbaldia procumbens</i> var. <i>aphanopetala</i> (Hand.-Mazz.) Yü et C. L. Li	Q								
	白花山梅草 <i>Sibbaldia micropetala</i> (D. Don) Hand.-Mazz.		K							
	窄叶鲜卑花 <i>Sibiraea angustata</i> (Rehd.) Hand.-Mazz.	Q				x	x		x	x
	高丛珍珠梅 <i>Sorbaria arborea</i> Schneid.	Q				x	x		x	x
	多对花楸 <i>Sorbus multijuga</i> Koehne		K			x	x		x	x
	川滇花楸 <i>Sorbus koehneana</i> Schneid.		K		Y	x	x		x	x
	西南花楸 <i>Sorbus rehderiana</i> Koehne	Q				x	x		x	x
	陕甘花楸 <i>Sorbus koehneana</i> Schneid.	Q				x	x		x	x
	西康花楸 <i>Sorbus prattii</i> Koehne	Q				x	x		x	x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	湖北花楸 <i>Sorbus hupehensis</i> Schneid.	Q				x	x		x	x
	黄总花草(马蹄黄) <i>Spenceria ramalana</i> Trimen	Q					x		x	x
	川滇绣线菊 <i>Spiraea schneideriana</i> Rehd.	Q					x		x	x
	陕西绣线菊 <i>Spiraea wilsonii</i> Duthie		K				x		x	x
	广椭绣线菊 <i>Spiraea ovalis</i> Rehd.				Y		x		x	x
	长芽绣线菊 <i>Spiraea longigemmis</i> Maxim.				Y		x		x	x
	云南绣线菊 <i>Spiraea yunnanensis</i> Franch.	Q					x		x	x
	高山绣线菊 <i>Spiraea alpina</i> Turcz.	Q					x		x	x
	细枝绣线菊 <i>Spiraea myrtilloides</i> Rehd.	Q					x		x	x
	毛叶绣线菊 <i>Spiraea mollifolia</i> Rehd.		K	D			x		x	x
	拱枝绣线菊 <i>Spiraea arcuata</i> Hook.f.	Q					x		x	x
苏木科 <i>Caezarpiniaceae</i>										
	小鞍叶羊蹄甲 <i>Bauhinia brachycarpa</i> Wall.	Q					x		x	x
蝶形花科 <i>Papilionaceae</i>							x		x	x
	云南土圞(栾)儿 <i>Apios delavayi</i> Franch.	Q				x	x		x	x
	地八角 <i>Astragalus bhotanensis</i> Baker	Q				x	x		x	x
	直立黄芪 <i>Astragalus adsurgens</i> Pall.		K		Y	x	x		x	x
	单蕊黄芪 <i>Astragalus monadelphus</i> Bunge .		K		Y	x	x		x	x
	短苞黄芪 <i>Astragalus prattii</i> Simps.	Q				x	x		x	x
	乡城黄芪 <i>Astragalus sanbilingensis</i> Tsai et Yu				Y	x	x		x	x
	无茎黄芪 <i>Astragalus acaulis</i> Baker	Q				x	x			x
	打箭黄芪 <i>Astragalus tatsienensis</i> Bur. et Franch.		K			x	x		x	x
	云南黄芪 <i>Astragalus yunnanensis</i> Franch.				Y	x	x			x
	东俄洛黄芪 <i>Astragalus tongolensis</i> Ulbr.	Q				x	x			x
	梭果黄芪 <i>Astragalus ernestii</i> Comber	Q				x	x		x	x
	多花黄芪 <i>Astragalus floridus</i> Benth. ex Bunge.	Q				x	x		x	x
	多枝黄芪 <i>Astragalus polycladus</i> Bur. et Franch.	Q				x	x		x	x
	川滇杭子梢 <i>Campylotropis reticulata</i> Chien	Q				x	x		x	x
	小雀花 (多花杭子梢) <i>Campylotropis polyantha</i> (Franch.) Schindl.		K			x	x		x	x
	云南锦鸡儿 <i>Caragana franchetiana</i> Kom.	Q					x		x	x
	二色锦鸡儿 <i>Caragana bicolor</i> Kom.	Q					x		x	x
	扁刺锦鸡儿 <i>Caragana boisi</i> Schneid.		K	D			x		x	x
	鬼箭锦鸡儿 <i>Caragana jubata</i> (Pall.) Poir.	Q				x	x		x	x
	甘蒙锦鸡儿 <i>Caragana opulens</i> Kom.				Y		x		x	x
	弯耳锦鸡儿 <i>Caragana jubata</i> var. <i>recurva</i> Liou		K		Y		x		x	x
	川西锦鸡儿 <i>Caragana crinaceae</i> Kom.				Y		x		x	x
	川滇雀儿豆 <i>Chesneya polysticoides</i> (Hand.-Mazz.) Ali				Y		x			x
	雅致山蚂蝗 <i>Desmodium elegans</i> DC.	Q					x		x	x
	圆锥山蚂蝗 <i>Desmodium esquirolii</i> Lévl.			D			x		x	x
	黄花岩黄芪 <i>Hedysarum citrum</i> E. G. Baker				Y		x			x
	紫云英岩黄芪 <i>Hedysarum pseudoastragalus</i> Ulbr.		K		Y		x			x
	块茎岩黄芪 <i>Hedysarum algidum</i> L.		K				x			x
	锡金岩黄芪 <i>Hedysarumsikkimense</i> Benth. ex Baker	Q					x			x
	川西岩黄芪 <i>Hedysarum limprichtii</i> Ulbr.		K				x			x
	唐古特岩黄芪 <i>Hedysarum tanguticum</i> Fedtsch.	Q					x			x
	四川木蓝 <i>Indigofera szechuenensis</i> Graib	Q					x		x	x
	多花木蓝 <i>Indigofera amblyantha</i> Craib		K				x		x	x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	短序木蓝 <i>Indigofera balfouriana</i> Craib	Q					x		x	x
	多枝木蓝 <i>Indigofera silvestrii</i> Pampan.	Q					x		x	x
	陕甘木蓝 <i>Indigofera potaninii</i> Craib		K	D			x			x
	马棘 <i>Indigofera pseudotinctoria</i> Mats.	Q					x		x	x
	铁扫帚 <i>Indigofera bungeana</i> Steud.	Q				x	x		x	x
	欧亚山黧豆 <i>Lathyrus palustris</i> L.	Q					x			x
	多花胡枝子 <i>Lespedeza floribunda</i> Bunge		K				x		x	x
	美丽胡枝子 <i>Lespedeza formosa</i> (Vog.) Koehne	Q					x		x	x
	百脉根 <i>Lotus corniculatus</i> Linn.	Q				x	x		x	x
	紫苜蓿 <i>Medicago sativa</i> Linn.	Q					x		x	x
	天蓝苜蓿 <i>Medicago lupulina</i> L.	Q					x		x	x
	矩镰荚苜蓿 <i>Medicago archiducis-nicolai</i> G.Sirjaev		K				x		x	x
	草木樨 <i>Melilotus suaveolens</i> Ledeb.		K		Y		x		x	x
	黑萼棘豆 <i>Oxytropis melanocalyx</i> Bunge	Q					x			x
	少花棘豆 <i>Oxytropis pauciflora</i> Bunge	Q					x			x
	云南棘豆 <i>Oxytropis yunnanensis</i> Franch.	Q					x			x
	甘肃棘豆 <i>Oxytropis kansuensis</i> Bunge	Q					x			x
	黄花木 <i>Piptanthus nepalensis</i> (Hook.) D. Don		K	D		x	x		x	x
	披针叶黄花木 <i>Piptanthus laburnifolius</i> (D.Don) Stapf	Q					x		x	x
	紫脉鹿藿 <i>Rhynchosia himalensis</i> Benth. ex Baker	Q					x		x	x
	灰毛槐树 <i>Sophora velutina</i> Lindl.		K				x		x	x
	矮生黄华 <i>Thermopsis smithiana</i> Pet.-Stib.	Q					x		x	x
	紫花黄华 <i>Thermopsis barbata</i> Benth.	Q					x		x	x
	高山豆 <i>Tibetia himalacica</i> TsuiK	Q					x		x	x
	黄花高山豆 <i>Tibetia tongolensis</i> (Ulbr.) H. P. Tsui				Y		x		x	x
	云南高山豆 <i>Tibetia yunnanensis</i> (Franch.) H. P. Tsui		K		Y		x		x	x
	毛茛胡卢巴 <i>Trigonella pubescens</i> Edgew. ex Baker	Q					x		x	x
	白车轴草 <i>Trifolium repens</i> Linn.		K		Y	x	x		x	x
	歪头菜 <i>Vicia unijuga</i> A. Br.	Q					x		x	x
	救荒野豌豆 <i>Vicia sativa</i> L.	Q					x		x	x
	三齿萼野豌豆 <i>Vicia bungei</i> Ohwi	Q					x		x	x
	西藏野豌豆 <i>Vicia tibetica</i> C. E. C. Fisch.	Q					x		x	x
芸香科 Rutaceae										
	湖北吴萸 <i>Evodia henryi</i> Dode		K	D		x	x	x	x	x
	花椒 <i>Zanthoxylum bungeanum</i> Maxim.	Q				x	x	x	x	x
	竹叶花椒 <i>Zanthoxylum armatum</i> DC.		K			x	x	x	x	x
	狭叶花椒 <i>Zanthoxylum stenophyllum</i> Hemsl.		K			x	x	x	x	x
	川陕花椒 <i>Zanthoxylum piasezkii</i> Maxim.		K	D		x	x	x	x	x
大戟科 Euphorbiaceae										
	云南大戟 <i>Euphorbia yunnanensis</i> Radcliffe-Smith	Q					x		x	
	藏西大戟 <i>Euphorbia stracheyi</i> Boiss.	Q					x		x	
	地锦草 <i>Euphorbia humifusa</i> Willd.	Q								
黄杨科 Buxaceae										
	皱叶黄杨 <i>Buxus rugulosa</i> Hatusima		K							
马桑科 Coriariaceae										
	马桑 <i>Coriaria nepalensis</i> Wall		K	D		x	x		x	x
小檗科 Berberidaceae										

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	古宗金花小檗 <i>Berberis wilsonae</i> var. <i>guhtzunica</i> Ahrendt.				Y	x	x			
	滇小檗 <i>Berberis yunnanensis</i> Franch.				Y	x	x			
	鲜黄小檗 <i>Berberis diaphana</i> Maxim.				Y	x	x			
	川滇小檗 <i>Berberis jamesiana</i> Forrest et W. W. Sm.		K		Y	x	x			
	蒙青小檗 <i>Berberis ambroziana</i> Schneid.		K		Y	x	x			
	刺红珠 <i>Berberis dictyophylla</i> Franch.	Q				x	x			
	大黄檗 <i>Berberis francisci-ferdinandi</i> Schneid.		K	D		x	x			
	刺黄花 <i>Berberis polyantha</i> Hemsl.	Q				x	x			
	淫羊藿 <i>Epimedium grandiflorum</i> Morr.			D		x				
	桃儿七 <i>Sinopodophyllum emodi</i> Wall.ex Royle Ying.	Q				x	x			
桑科 Moraceae										
	小构 <i>Broussonetia kazinoki</i> Sieb. et Zucc.		K			x			x	
	构树 <i>Broussonetia papyrifera</i> (L.) L'Hert .ex Vent		K			x	x		x	
	地瓜藤 <i>Ficus tikoua</i> Bur.		K			x			x	
冬青科 Aquitoliaceae										
	猫儿刺 <i>Ilex pernyi</i> Franch.		K							
槭树科 Aceraceae										
	色木槭 <i>Acer mono</i> Maxim.		K	D		x			x	
	大翅色木槭 <i>Acer mono</i> var. <i>macropterum</i> Fang		K	D		x			x	
	三尾青皮槭 <i>Acer cappadocicum</i> var. <i>tricaudatum</i> (Rehd. ex Veitch) Rehd.		K			x			x	
	小叶青皮槭 <i>Acer cappadocicum</i> var. <i>sinicum</i> Rehd.			D		x			x	
	疏花槭 <i>Acer laxiflorum</i> Pax		K			x			x	
	太白深灰槭 <i>Acer caesium</i> subsp. <i>giraldii</i> (Pax) E. Murr.		K	D		x			x	
	五裂槭 <i>Acer oliverianum</i> Pax		K			x			x	
	毛叶槭 <i>Acer stachyophllum</i> HiernK		K			x			x	
	川滇长尾槭 <i>Acer caudatum</i> var. <i>prattii</i> Rehd.		K			x			x	
	青榨槭 <i>Acer davidii</i> Franch.		K			x			x	
	毛花槭 <i>Acer erianthum</i> Schwerin		K			x			x	
清风藤科 Sabiaceae										
	泡花树 <i>Meliosma cuneifolia</i> Franch.		K			x	x		x	x
葡萄科 Vitaceae										
	蛇葡萄 <i>Ampelopsis brevipedunculata</i> (Maxim.) Trautv.		K			x	x		x	
	三裂蛇葡萄 <i>Ampelopsis delavayana</i> Planch.		K				x		x	
	三叶爬山虎 <i>Parthenocissus himalayana</i> (Royle)Planch.			D			x		x	
	桦叶葡萄 <i>Vitis betulifolia</i> Diels et Gilg		K	D			x		x	
	葛藟 <i>Vitis flexuosa</i> Thunb.		K				x		x	
猕猴桃科 Actinidiaceae										
	狗枣猕猴桃 <i>Actinidia kolomikta</i> (Maxim.& Rupr.) Maxim.		K			x	x		x	x
	紫果猕猴桃 <i>Actinidia pupurea</i> Rehd.		K			x	x		x	x
	椴叶藤山柳 <i>Clematoclethra cordifolia</i> var. <i>tiliacea</i> (Kom.) C. Y. Chang		K			x	x		x	x
	猕猴桃藤山柳 <i>Clematoclethra actinidioides</i> Maxim.		K	D		x	x		x	x
	藤山柳 <i>Clematoclethra lasioclada</i> Maxim.		K	D		x	x		x	x
鹿蹄草科 Pyrolaceae										
	松下兰 <i>Hypopitys monotropa</i> Grantz	Q					x			
	独立花（独丽花） <i>Moneses uniflora</i> (L.) A. Gray	Q					x			
	鹿蹄草 <i>Pyrola rotundifolia</i> ssp. <i>chinensis</i> H. Andres		K	D			x			
	紫背鹿蹄草 <i>Pyrola atropurpurea</i> Franch.	Q					x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	普通鹿蹄草 <i>Pyrola decorata</i> H. Andres	Q					x			
胡颓子科 <i>Elaeagnaceae</i>										
	长叶胡颓子 <i>Elaeagnus bockii</i> Diels.		K			x	x		x	
	牛奶子 <i>Elaeagnus umbellata</i> Thunb.		K			x	x		x	
	肋果沙棘 <i>Hippophe neurocarpa</i> S. W. Liu et T. N. He				Y	x	x		x	
	西藏沙棘 <i>Hippophe thibetana</i> Schlecht.				Y	x	x		x	
	中国沙棘 <i>Hippophe rhamnoides</i> subsp. <i>sinensis</i> Rousi	Q				x	x		x	
山茱萸科 <i>Cornaceae</i>										
	康定栎木 <i>Cornus schindleri</i> Wanger.		K				x			
	毛叶栎木 <i>Cornus oblonga</i> var. <i>griffithii</i> Clarke		K				x			
	灰叶栎木 <i>Cornus poliophylla</i> Schneid. et Wanger.		K				x			
	西藏青莢叶 <i>Helwingia himalaica</i> Clarke.		K	D			x			
	青莢叶 <i>Helwingia japonica</i> (Thunb.) Dietr.		K	D		x	x			
胡桃科 <i>Guglandaceae</i>										
	胡桃 <i>Juglans regia</i> L.		K	D		x	x			
杨柳科 <i>Salicaceae</i>										
	小山杨 <i>Populus davidiana</i> var. <i>tomentella</i> (Schneid.) Nakai		K	D					x	
	大叶杨 <i>Populus lasiocarpa</i> Oliv.	Q							x	
	小叶杨 <i>Populus simonii</i> Carr.	Q							x	
	冬瓜杨 <i>Populus purdomii</i> Rehd.		K						x	
	毛白杨 <i>Populus tomentosa</i> Carr.	Q							x	
	三脉青杨 <i>Populus trinervis</i> C. Wang et Tung		K	D					x	
	长序杨 <i>Populus pseudoglauca</i> Z. Wang & P. Y. Fu		K		Y				x	
	乡城杨 <i>Populus xiangchengensis</i> Z. Wang & Tung		K		Y				x	
	西南杨 <i>Populus schneideri</i> (Rehd.) N. Chao		K						x	
	光果西南杨 <i>Populus schneideri</i> var. <i>tibetica</i> (Schneid.) N. Chao	Q							x	
	圆叶杨 <i>Populus rotundifolia</i> Griff.	Q							x	
	长叶柳 <i>Salix phanera</i> Schneid.		K	D					x	
	大叶柳 <i>Salix magnifica</i> Hemsl.		K						x	
	环腺柳 <i>Salix oritrepha</i> Schneid.				Y				x	
	大苞柳 <i>Salix pseudospissa</i> Görz	Q							x	
	卧龙柳 <i>Salix dolia</i> Schneid		K	D					x	
	筐柳 <i>Salix cheiophila</i> Schneid.	Q							x	
	簇毛柳 <i>Salix maerkangensis</i> N. Chao		K	D					x	
	绵穗柳 <i>Salix eriostachya</i> Wall. ex Anderss	Q							x	
	毛脉柳 <i>Salix delavayana</i> Hand.-Mazz.	Q							x	
	乌饭柳 <i>Salix myrtilleacea</i> Anderss.	Q							x	x
	皂柳 <i>Salix wallichiana</i> Anderss.	Q							x	x
	康定柳 <i>Salix paraplesia</i> Schneid.		K	D					x	
	毛脉柳 <i>Salix delavayana</i> Hand.-Mazz.			D	Y				x	
桦木科 <i>Betulaceae</i>										
	长穗鹅耳枥 <i>Carpinus fangiana</i> Hu		K				x		x	
	川陕鹅耳枥 <i>Carpinus fargesiana</i> H. Winkl.		K	D			x		x	
	糙皮桦 <i>Betula utilis</i> D. Don	Q				x	x		x	
	红桦 <i>Betula albo-sinensis</i> Burkill		K			x	x		x	
	白桦 <i>Betula platyphylla</i> Suk.	Q				x	x		x	
	高山桦 <i>Betula delavayi</i> Franch.				Y				x	

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	细穗高山桦 <i>Betula delavayi</i> var. <i>microstachya</i> P. C. Li		K		Y				x	
	滇榛 <i>Corylus yunnanensis</i> A. Camus		K			x	x		x	
	刺榛 <i>Corylus ferox</i> Wall.		K			x	x		x	
壳斗科 Fagaceae										
	滇青冈 <i>Cyclobalanopsis glauroides</i> Schott.		K						x	
	城口青冈 <i>Cyclobalanopsis fargesii</i> (Franch.) S.Z.Qu et W.H.Zhang		K						x	
	黄背栎 <i>Quercus pannosa</i> Hand.-Mazz.	Q							x	
	刺叶栎 <i>Quercus spinosa</i> David		K	D					x	
	柞栎 <i>Quercus dentate</i> Thunb.		K			x			x	
	匙叶栎 <i>Quercus spathulata</i> Seem.		K						x	
	川西栎 <i>Quercus gilliana</i> Rehd.et Wils.		K						x	
	川滇高山栎 <i>Quercus aquifolioides</i> Rehd. et Wils.	Q							x	
	长序高山栎 <i>Quercus longispica</i> A.Camus.		K		Y				x	
	灰背栎 <i>Quercus senescens</i> Hand.-Mazz.		K		Y				x	
	矮高山栎 <i>Quercus monimorricha</i> Hand.-Mazz.	Q							x	
	光叶高山栎 <i>Quercus rehderiana</i> Hand.-Mazz.		K						x	
榆科 Ulmaceae										
	黑弹朴 <i>Celtis bungeana</i> Bl.		K	D		x			x	
	紫弹树 <i>Celtis biondii</i> Pamp.		K	D		x			x	
	榆 <i>Ulmus pumila</i> L.		K			x			x	
	西蜀榆 <i>Ulmus bergmanniana</i> Schneid.		K			x			x	
荨麻科 Urticaceae										
	水麻 <i>Debregeasia orientalis</i> (Sieb.et Zucc.) Wedd.		K						x	
	蝎子草 <i>Girardinia cuspidata</i> Wedd.		K			x				
	珠芽艾麻 <i>Laportea bulbifera</i> (Sieb. et Zucc.) Wedd.			D					x	
	艾麻 <i>Laportea macrostachya</i> (Maxim.) Ohwi	Q							x	
	亚高山冷水花 <i>Pilea racemosa</i> (Royle) Tuyama		K				x		x	
	三角叶荨麻 <i>Urtica triangularis</i> Hand.-Mazz.	Q				x	x		x	
	羽裂荨麻 <i>Urtica pinnatifida</i> Hand.-Mazz.				Y	x	x		x	
	高原荨麻 <i>Urtica hyperborean</i> Jacq. ex Wedd.				Y	x	x		x	
	齿叶荨麻 <i>Urtica laetevirens</i> subsp. <i>dentata</i> (Hand.-Mazz.) C. J. Chen	Q				x	x		x	
檀香科 Santalaceae										
	长花百蕊草 <i>Thesium longiflorum</i> Hand.-Mazz.		K		Y	x		x		
桑寄生科 Loranthaceae										
	高山松寄生 <i>Arceuthobium pini</i> Hawksw. et Wiens		K			x				
	柳叶钝果寄生 <i>Taxillus delavayi</i> (Van Tiegh.) Danser	Q				x				
	绿茎槲寄生 <i>Viscum nudum</i> Danser	Q				x				
商陆科 Phytolaccaceae										
	多蕊商陆 <i>Phytolacca polyandra</i> Bat.		K	D		x		x		
金丝桃科 Guttiferae										
	山梔子 <i>Hypericum pseudohenryi</i> N. Robson	Q				x	x		x	x
	黄海棠 <i>Hypericum ascyron</i> Linn.		K			x	x		x	x
怪柳科 Tamaricaceae										
	具鳞水柏枝 <i>Myricaria squamosa</i> Desv.	Q					x		x	
	三春水柏枝 <i>Myricaria paniculata</i> P. Y. Zhang et Y. J. Zhang		K				x		x	
旌节花科 Stachyuraceae										
	喜马拉雅旌节花 <i>Stachyurus himalaicus</i> Hook. f. et Thoms.		K	D			x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
堇菜科 <i>Violaceae</i>										
	双花堇菜 <i>Viola biflora</i> L.	Q					x			
	灰叶堇菜 <i>Viola delavayi</i> Franch.				Y		x			
鼠李科 <i>Rhamnaceae</i>										
	腋花勾儿茶 <i>Berchemia edgeworthii</i> Laws.	Q				x			x	
	云南勾儿茶 <i>Berchemia yunnanensis</i> Franch.	Q				x			x	x
	多花勾儿茶 <i>Berchemia floribunda</i> (Wall.) Brongn.	Q				x			x	x
	淡黄鼠李 <i>Rhamnus flavesces</i> Y. L. Chen et P. K. Chou	Q				x				
	甘青鼠李 <i>Rhamnus tangutica</i> J.Vass.	Q				x				
	帚枝鼠李 <i>Rhamnus virgata</i> Roxb.			D	Y	x				
	刺鼠李 <i>Rhamnus dumetorum</i> Schneid.	Q				x				
	西藏猫乳 <i>Rhamnella gilgitica</i> Mansf. et Melch.				Y	x				
	川滇猫乳 <i>Rhamnella forrestii</i> W.W. Smith		K			x				
	少脉雀梅藤 <i>Sageretia paucicostata</i> Maxim.	Q				x				
	对节刺 <i>Sageretia pycnophylla</i> Schnied.	Q				x				
	山枣 <i>Ziziphus Montana</i> W.W. Smith		K		Y	x				
藜科 <i>Chenopodiaceae</i>										
	菊叶香藜 <i>Chenopodium foetidum</i> Schrad.		K						x	
	藜 <i>Chenopodium album</i> Linn.		K						x	
	土荆芥 <i>Chenopodium ambrosioides</i> L.		K						x	
石竹科 <i>Caryophylliaceae</i>										
	粉晕无心菜 <i>Arenaria forrestii</i> (W.W.Smith) C. Y. Wu					x				
	山生福祿草 <i>Arenaria oreophila</i> Hook. f. ex Edgew.				Y	x				
	多柱无心菜 <i>Arenaria weissiana</i> Hand.-Mazz.				Y	x				
	黑蕊无心菜 <i>Arenaria melanandra</i> (Maxim.) Hand.-Mazz.		K			x				
	硬毛无心菜 <i>Arenaria trichophora</i> Franch. Hand.-Mazz.				Y	x				
	垫状雪灵芝 <i>Arenaria pulvinata</i> Edgew.			D	Y	x	x			
	雪灵芝 <i>Arenaria brevipetala</i> Tsui et L. H. Zhou			D	Y	x	x			
	澜沧雪灵芝 <i>Arenaria lancangensis</i> L. H. Zhou		K			x	x			
	簇生卷耳 <i>Cerastium fontanum</i> subsp. <i>triviale</i> (Murb.) Jalas	Q				x				
	狗筋蔓 <i>Cucubalus baccifer</i> L.		K		Y	x				
	漆姑草 <i>Sagina japonica</i> (Sw.) Ohwi	Q				x				
	蝇子草（鹤草） <i>Silene fortunei</i> Vis.	Q					x			
	九头草 <i>Silene gracilicaulis</i> C. L. Tang	Q				x				
	九子参 <i>Silene rubicunda</i> Franch.				Y	x				
	狭果蝇子草 <i>Silene huguettiae</i> Bocquet				Y		x			
	双舌蝇子草 <i>Silene bilingual</i> W. W. Smith		K	D			x			
	丛生蝇子草 <i>Silene caespitella</i> Williams	Q					x			
	石竹叶繁缕 <i>Stellaria dianthifolia</i> Williams				Y					
	繁缕 <i>Stellaria media</i> (L.) Cyr		K							
	囊种草 <i>Thylacospermum caespitosum</i> (Camb.) Schischk.				Y					
海桐花科 <i>Pittosporaceae</i>										
	异叶海桐 <i>Pittosporum heterophyllum</i> Franch.	Q					x	x		x
漆树科 <i>Anacardiaceae</i>										
	漆树 <i>Rhus verniciflua</i> Stokes		K			x			x	
	盐肤木 <i>Rhus chinensis</i> Mill.		K			x			x	x
	青麸杨 <i>Rhus potaninii</i> Maxim.		K			x			x	

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	红麸杨 <i>Rhus punjabensis</i> var. <i>sinica</i> (Diels) Rehd. et Wils.		K			x			x	
	大花漆 <i>Toxilodendron grandiflorum</i> C.Y. Wu et T. L. Ming		K			x				
卫矛科 Celastraceae										
	南蛇藤 <i>Celastrus orbiculatus</i> Thunb.		K			x	x		x	
	小卫矛 <i>Euonymus nanoides</i> Loes. et Rehd.			D		x	x			
	卫矛 <i>Euonymus alatus</i> (Thunb.) Sieb.		K	D		x	x			
	八宝茶 <i>Euonymus przewalskii</i> Maxim.			D		x	x			
	紫花卫矛 <i>Euonymus porphyreus</i> Loes.	Q				x	x			
	西南卫矛 <i>Euonymus hamiltonianus</i> Wall.		K			x	x			
花荵科 Polemoniaceae										
	中华花荵 <i>Polemonium coeruleum</i> Linn.var. <i>chinense</i> Brand	Q				x	x			
菟丝子科 Cuscutaceae										
	菟丝子 <i>Cuscuta chinensis</i> Lam.	Q				x				
	欧洲菟丝子 <i>Cuscuta europaea</i> Linn.	Q				x				
	金灯藤(日本菟丝子) <i>Cuscuta japonica</i> Choisy		K			x				
紫葳科 Bignoniaceae										
	毛子草 <i>Incarvillea arguta</i> (Royle) Royle	Q								
	稻城毛子草 <i>Incarvillea arguta</i> var. <i>daochengensis</i> Q. S. Zhao				Y					
	从枝角蒿 <i>Incarvillea sinensis</i> subsp. <i>variabilis</i> (Batalin) Grierson		K		Y	x	x			
	黄花角蒿 <i>Incarvillea lutea</i> Bur.et Franch.	Q				x	x			
	滇川角蒿 <i>Incarvillea mairei</i> (Lévl.) Grierson	Q				x	x			
	黄波罗花 <i>Incarvillea lutea</i> Bur. et Franch.				Y	x				
	大花鸡肉参 <i>Incarvillea mairei</i> var. <i>grandiflora</i> (Wehrhahn) Grierson	Q				x				
苋科 Amaranthaceae										
	牛膝 <i>Achyranthes bidentata</i> Bl. f.		K			x				x
	空心莲子草 <i>Alternanthera philoxeroides</i> (Mart.) Griseb.		K							
五味子科 Schisandraceae										
	华中五味子 <i>Schisandra sphenanthera</i> Rehd. et Wils.		K			x		x		
	红花五味子 <i>Schisandra rubriflora</i> Rehd.et Wils.		K			x		x		
木通科 Lardizabalaceae										
	五风藤 <i>Holboellia latifolia</i> Wall.		K			x			x	
防己科 Menispermaceae										
	地不容 <i>Stephania epigaea</i> H. S. Lo		K			x				
无患子科 Sapindaceae										
	栾树 <i>Koelreuteria paniculata</i> Laxm.		K				x			
远志科 Polygalaceae										
	小扁豆 <i>Polygala tatarinowii</i> Regel				Y	x				
	瓜子金 <i>Polygala japonica</i> Houtt.	Q				x				
	西伯利亚远志 <i>Polygala sibirica</i> L.	Q				x				
茄科 Solanaceae										
	铃铛子 <i>Anisodus luridus</i> Link et Otto						x			
	山莨菪 <i>Anisodus tanguticus</i> (Maxim.) Pascher	Q				x	x			
	马铃薯 <i>Solanum tuberosum</i> L. (栽培)	Q								
	龙葵 <i>Solanum nigrum</i> L.	Q					x			x
茅膏菜科 Droseraceae										
	茅膏菜 <i>Drosera peltata</i> Smith var. <i>multisepala</i> Y. Z. Ruan	Q								
柳叶菜科 Onagraceae										

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	高原露珠草 <i>Circaea alpina</i> subsp. <i>imaicola</i> (Asch. & Mag.) Kiyamura	Q				x				
	狭叶露珠草 <i>Circaea alpina</i> subsp. <i>angustifolia</i> (Hand.-Mazz.) Bouff.				Y	x				
	柳兰 <i>Epilobium angustifolium</i> L.	Q					x			x
	毛脉柳兰 <i>Epilobium angustifolium</i> subsp. <i>circumvagum</i> Mosquin	Q					x			
	喜马拉雅柳兰 <i>Epilobium speciosum</i> Hausskn.	Q					x			
	圆柱柳叶菜 <i>Epilobium cylindricum</i> D. Don	Q					x			
	光籽柳叶菜 <i>Epilobium tibetanum</i> Hausskn.	Q					x			
	阔柱柳叶菜 <i>Epilobium platystigamatosum</i> C. B. Robins		K				x			
	毛脉柳叶菜 <i>Epilobium amurense</i> Hausskn.	Q					x			
	沼生柳叶菜 <i>Epilobium palustre</i> L.		K		Y		x			
	多枝柳叶菜 <i>Epilobium fastigiatum</i> Nakai		K				x			
	滇藏柳叶菜 <i>Epilobium wallichianum</i> Hausskn.	Q					x			
	鳞片柳叶菜 <i>Epilobium sikkimense</i> Hausskn.	Q					x			
	高山柳叶菜 <i>Epilobium williamsii</i> Raven		K		Y		x			
	短梗柳叶菜 <i>Epilobium ruyleanum</i> Hausskn.	Q					x			
小二仙草科 Haloragidaceae										
	穗状狐尾藻 <i>Myriophyllum spicatum</i> L.	Q						x		
杉叶藻科 Hippuridaceae										
	杉叶藻 <i>Hippuris vulgaris</i> L.	Q						x		
五加科 Aaliaceae										
	红毛五加 <i>Acanthopanax giraldii</i> Harms	Q					x	x		
	狭叶五加 <i>Acanthopanax wilsonii</i> Harms		K	D			x	x		x
	糙叶五加 <i>Acanthopanax henryi</i> (Oliv.) Harms	Q					x	x		x
	康定五加 <i>Acanthopanax lasiogyne</i> Harms		K		Y		x	x		x
	西南楤木 <i>Aralia wilsonii</i> Harms		K		Y		x	x		x
	楤木 <i>Aralia chinensis</i> L.		K				x	x		x
	棘茎楤木 <i>Aralia echinocaulis</i> Hand.-Mazz.		K				x	x		x
	圆叶楤木 <i>Aralia caesia</i> Hand.-Mazz.		K				x	x		x
	土当归 <i>Aralia cordata</i> Thunb.		K				x	x		
	龙眼独活 <i>Aralia fargessii</i> Franch.		K				x	x		x
	柔毛龙眼独活 <i>Aralia henryi</i> Harms.		K				x	x		x
	常春藤 <i>Hedera nepalensis</i> var. <i>sinensis</i> (Tobl.) Rehd.		K	D			x	x		x
	珠子参 <i>Panax japonicus</i> var. <i>major</i> (Burk.) C. Y. Wu et K. M. Feng ex Chow et al.	Q								
伞形科 Umbelliferae										
	当归 <i>Angelica sinensis</i> (Oliv.) Diels		K				x		x	
	星叶丝瓣芹 <i>Acronema astrantiifolium</i> Wolff	Q					x		x	
	矮尖瓣芹 <i>Acronema chinense</i> Wolff var. <i>humile</i> S. L. Liu		K		Y		x		x	
	锥序丝瓣芹 <i>Acronema paniculatum</i> (Franch.) Wolff				Y		x		x	
	峨参 <i>Anthriscus sylvestris</i> (L.) Hoffm.	Q					x		x	
	匍枝柴胡 <i>Bupleurum dalhousieanum</i> (Clarke) K.-Pol.		K				x		x	
	紫花鸭跖柴胡 <i>Bupleurum comelynoideum</i> de Boiss.	Q					x		x	
	马尔康柴胡 <i>Bupleurum malconense</i> Shan et Y. Li			D			x		x	
	马尾柴胡 <i>Bupleurum microcephalum</i> Diels		K	D			x		x	
	窄竹叶柴胡 <i>Bupleurum marginatum</i> var. <i>stenophyllum</i> (Wolff) Shan et Y. Li	Q					x		x	
	葛缕子 <i>Carum carvi</i> Linn.	Q					x		x	
	细葛缕子 <i>Carum carvi</i> Linn. f. <i>gracile</i> (Lindl.) Wolff	Q					x		x	
	田葛缕子 <i>Carum buriaticum</i> Turcz.	Q					x		x	

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	矮泽芹 <i>Chamaesium paradoxum</i> Wolff	Q					x		x	
	环根芹 <i>Cyclorhiza Waltonii</i> (Wolff) Sheh et Shan		K		Y		x		x	
	独活 <i>Heracleum hemsleyanum</i> Diels				Y		x	x	x	
	粗糙独活 <i>Heracleum scabridum</i> Franch.	Q					x	x	x	
	白亮独活 <i>Heracleum candicans</i> Wall. ex DC.	Q					x	x	x	
	短毛独活 <i>Heracleum moellendorffii</i> Hance	Q					x	x	x	
	裂叶独活 <i>Heracleum millefolium</i> Diels	Q					x	x	x	
	红马蹄草 <i>Hydrocotyle nepalensis</i> Hook.		K				x	x	x	
	多苞蕺本 <i>Ligusticum involucratum</i> Franch.	Q					x	x	x	
	草甸蕺本 <i>Ligusticum kingdom-wardii</i> Wolff			D	Y		x	x	x	
	蕨叶蕺本 <i>Ligusticum pteridophyllum</i> Franch.				Y		x	x	x	
	川西蕺本 <i>Ligusticum sikiangense</i> Hiroe		K		Y		x	x	x	
	蕺本 <i>Ligusticum sinense</i> Oliv	Q					x	x	x	
	毛蕺本 <i>Ligusticum hispidum</i> (Franch.) Wolff				Y		x	x	x	
	抽葶蕺本 <i>Ligusticum scapiforme</i> Wolff	Q					x	x	x	
	膜苞蕺本 <i>Ligusticum oliverianum</i> (de Boiss.) Shan	Q					x	x	x	
	宽叶羌活 <i>Notopterygium forbesii</i> de Boiss.	Q					x	x	x	
	羌活 <i>Notopterygium incisum</i> Ting	Q					x	x	x	
	高山水芹 <i>Oenanthe hookeri</i> C. B. Clarke	Q					x		x	
	疏叶香根芹 <i>Osmorhiza aristata</i> var. <i>laxa</i> (Royle) Constance et Shan	Q					x		x	
	重波茴芹 <i>Pimpinella bisinuata</i> H. Wolff		K		Y		x		x	
	直立茴芹 <i>Pimpinella smithii</i> Wolff	Q					x		x	
	中甸茴芹 <i>Pimpinella zhungdianensis</i> C.Y.Wu ex Shan ex Pu		K	D			x		x	
	西藏棱子芹 <i>Pleurospermum hookeri</i> var. <i>thomsonii</i> Clarke	Q					x		x	
	宝兴棱子芹 <i>Pleurospermum davidii</i> Franch.	Q					x		x	
	康定棱子芹 <i>Pleurospermum prattii</i> Wolff		K				x		x	
	疣果棱子芹 <i>Pleurospermum wrightianum</i> de Boiss.		K		Y		x		x	
	粗茎棱子芹 <i>Pleurospermum crassicaule</i> Wolff	Q					x		x	
	澜沧囊瓣芹 <i>Pternopetalum delavayi</i> (Franch.) Hand.-Mazz.				Y		x	x	x	
	心果囊瓣芹 <i>Pternopetalum cardiocarpum</i> (Franch.) Hand.-Mazz.				Y		x	x	x	
	从枝囊瓣芹 <i>Pternopetalum caespitosum</i> Shan		K	D			x	x	x	
	首阳变豆菜 <i>Sanicula giraldii</i> Wolff		K				x	x	x	
	阔鞘小芹 <i>Sinocarum vaginatum</i> Wolff		K		Y		x		x	
	紫茎小芹 <i>Sinocarum coloratum</i> (Diels) Wolff		K				x		x	
	云南东俄芹 <i>Tongoloo loloensis</i> (de Boiss.) Wolff				Y		x		x	
	宜昌东俄芹 <i>Tongoloo dunnii</i> (de Boiss.) Wolff	Q					x		x	
	纤细东俄芹 <i>Tongoloo gracilis</i> Wolff		K		Y		x		x	
	大东俄芹 <i>Tongoloo elata</i> Wolff	Q					x		x	
	破子草 (小窃衣) <i>Torilis japonica</i> (Houtt.) DC.	Q					x		x	
	糙果芹 <i>Trachyspermum scaberulum</i> (Franch.) Wolff ex Hand.-Mazz.		K				x		x	
牛龙 牛儿苗科 Geraniaceae							x			
	牛龙 牛儿苗 <i>Erodium stephanianum</i> Willd.		K		Y					
	巴塘老鹳草 <i>Geranium batangense</i> Pax et Hoffm.	Q					x			
	毛蕊老鹳草 <i>Geranium platyanthum</i> Duthie	Q					x			
	草原老鹳草 <i>Geranium pratense</i> Linn.				Y		x			
	鼠掌老鹳草 <i>Geranium sibiricum</i> Linn.	Q					x			
	纤细老鹳草 <i>Geranium robertianum</i> Linn.	Q					x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	萝卜根老鹳草 <i>Geranium napuligerum</i> Franch.				Y		x			
	甘青老鹳草 <i>Geranium pylzowianum</i> Maxim.	Q					x			
	高山老鹳草 <i>Geranium donianum</i> Sweet		K		Y		x			
蒺藜科 Zygophyllaceae										
	蒺藜 <i>Tribulus terrestris</i> Linn.		K				x			x
锦葵科 Malvaceae										
	锦葵 <i>Malva sinensis</i> Cavan.	Q						x		
瑞香科 Thymelaeaceae										
	华瑞香 <i>Daphne rosmarinifolia</i> Rehd.	Q					x	x	x	x
	狭瓣瑞香 <i>Daphne angustiloba</i> Rehd.		K				x	x	x	x
	凹叶瑞香 <i>Daphne retusa</i> Hemsl.	Q					x	x	x	x
	甘肃瑞香 <i>Daphne tangutica</i> Maxim.		K				x	x	x	x
	一柱香狼毒 <i>Stellera chamaejasme</i> Linn.	Q					x	x		
	轮叶茺花 <i>Wikstroemia stenophylla</i> Pritz.ex Diels		K				x			x
	短总序茺花 <i>Wikstroemia capitato-recemosa</i> S. C. Huang				Y		x			x
	丽江茺花 <i>Wikstroemia lichiangensis</i> W. W. Smith				Y		x			x
椴树科 Atiliaceae										
	华椴 <i>Tilia chinensis</i> Maxim		K					x		
	多毛椴 (西蜀椴) <i>Tilia intonsa</i> Wils. ex Rehd. et Wils.		K	D				x		
杜鹃花科 Ericaceae										
	短叶岩须 <i>Cassiope abbreviate</i> Hand-Mazz.				Y		x	x		
	篳齿叶岩须 <i>Cassiope pectinata</i> Stapf				Y		x	x		
	毛叶吊钟花 <i>Enkianthus deflexus</i> (Griff.) Schneid.		K					x		
	毛叶米饭花 <i>Lyonia villosa</i> (Wall.) Hand.-Mazz.		K	D				x		
	凹叶杜鹃 <i>Rhododendron davidsonianum</i> Rehd. et Wils.		K	D				x		
	大白花杜鹃 <i>Rhododendron decorum</i> Franch.		K					x		
	密枝杜鹃 <i>Rhododendron fastigiatum</i> Franch.				Y			x		
	隐蕊杜鹃 <i>Rhododendron intricatum</i> Franch.				Y			x		
	黄花杜鹃 <i>Rhododendron lutescens</i> Franch.		K	D				x		
	淡黄杜鹃 <i>Rhododendron flavidum</i> Franch.			D				x		
	光亮杜鹃 <i>Rhododendron nitidulum</i> Rehd. et Wils.			D				x		
	刚毛杜鹃 <i>Rhododendron radendum</i> Fang		K					x		
	红棕杜鹃 <i>Rhododendron rubiginosum</i> Franch.	Q						x		
	红背杜鹃 <i>Rhododendron rufescens</i> Franch.		K					x		
	棕背杜鹃 <i>Rhododendron alutaceum</i> Balf. f. W. W. Smith				Y			x		
	紫丁杜鹃 <i>Rhododendron violaceum</i> Rehd. et Wils.				Y			x		
	草原杜鹃 <i>Rhododendron telmateium</i> Balf. f. et W. W. Smith			D	Y			x		
	千里香杜鹃 <i>Rhododendron thymifolium</i> Maxim.				Y		x	x	x	
	亮叶杜鹃 <i>Rhododendron vernicosum</i> Franch.	Q						x		
	紫花杜鹃 <i>Rhododendron amesiae</i> Rehd. et Wils.		K	D			x	x		
	毛蕊杜鹃 <i>Rhododendron websterianum</i> Rehd. et Wils.				Y			x		
	光亮杜鹃 <i>Rhododendron nitidulum</i> Rehd. et Wils.	Q						x		
	山育杜鹃 <i>Rhododendron oreotrephe</i> W. W. Sm.	Q					x	x		
	无柄杜鹃 <i>Rhododendron watsonii</i> Hemsl. et Wils.			D				x		
苦苣苔科 Gesneriaceae										
	卷丝苣苔 <i>Corallodiscus kingianus</i> (Craib) Burtt	Q					x	x		
	石花 <i>Corallodiscus flabellatus</i> (Craib) Burtt.		K	D			x	x		

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	半蒴苣苔 (山白菜) <i>Hemiboea henryi</i> Clarke		K				x	x		
	白花金盏苣苔 <i>Isometrum leucanthum</i> (Diels) Burt				Y		x	x		
	紫花金盏苣苔 <i>Isometrum lancifolium</i> (Franch.) K.Y.Pan		K				x	x		
	椭圆叶马铃苣苔 <i>Oreocharis elliptica</i> Anthony		K	D			x	x		
列当科 Orobanchaceae										
	四川列当 <i>Orobanche sinensis</i> H.Smith			D	Y		x			
	列当 <i>Orobanche coerulescens</i> Steph.	Q					x			
	丁座草 <i>Xylanche himalacia</i> (Hook. f. et Thoms.) G. Beck.	Q					x			
木樨科 Oleaceae										
	梣 <i>Fraxinus chinensis</i> Roxb.			D			x			
	尖叶白蜡树 <i>Fraxinus chinensis</i> var. <i>acuminata</i> Lingelsh.			D			x			
	矮探春 <i>Jasminum humile</i> L.		K					x		
	长叶女贞 <i>Ligustrum compactum</i> (Wall. ex G. Don) Hook. f.		K				x		x	x
	细叶女贞 <i>Ligustrum gracile</i> Rehd.		K	D			x		x	x
	四川丁香 <i>Syringa sweginzowii</i> Kohne et Lingelsh		K	D			x	x	x	x
	云南丁香 <i>Syringa yunnanensis</i> Franch.				Y		x	x	x	x
	羽叶丁香 <i>Syringa pinatifolia</i> Hemsl.		K				x	x	x	x
醉鱼草科(马钱科) Loganiaceae										
	皱叶醉鱼草 <i>Buddleja crispa</i> Benth.	Q					x	x	x	x
	大叶醉鱼草 <i>Buddleja davidii</i> Fr.	Q					x	x	x	x
	密蒙花 <i>Buddleja officinalis</i> Maxim.		K	D			x	x	x	x
夹竹桃科 Apocynaceae										
	乳儿绳 <i>Trachelospermum cathayanum</i> Schneid.		K				x	x		
萝藦科 Asclepiadaceae										
	牛皮消 <i>Cynanchum auriculatum</i> Royle ex Wight.	Q				x	x			
	杠柳 <i>Periploca sepium</i> Bunge		K			x	x		x	
	豹药藤 <i>Cynanchum decipiens</i> Schneid.	Q				x	x		x	
	大理白前 <i>Cynanchum forrestii</i> Schltr.	Q				x	x			
	朱砂藤 <i>Cynanchum officinale</i> (Hemsl.) Tsiang et Zhang		K			x	x			
	竹灵消 <i>Cynanchum inamoenum</i> (Maxim.) Loes.		K	D		x	x			
	白前 <i>Cynanchum glaucescens</i> (Decne.) Hand.-Mazz.		K	D		x	x			
	苦绳 <i>Dregea sinensis</i> Hemsl.		K	D		x	x			
旋花科 Convolvulaceae										
	打碗花 <i>Calystegia hederacea</i> Wall. ex Roxb.		K	D			x			x
	篱打碗花 <i>Calystegia sepium</i> (Linn.) R. Br.		K				x			x
	田旋花 <i>Convolvulus arvensis</i> Linn.	Q					x			x
紫草科 Boraginaceae										
	心叶琉璃草 <i>Cynoglossum triste</i> Diels		K			x	x			
	西南琉璃草 <i>Cynoglossum wallichii</i> G. Don	Q				x	x			
	倒钩琉璃草 <i>Cynoglossum wallichii</i> var. <i>glochidiatum</i> (Wall. ex Benth.) Kazmi	Q				x	x			
	倒提壶 <i>Cynoglossum amaabile</i> Stapf et Drumm.	Q				x	x			x
	琉璃草 <i>Cynoglossum zeylanicum</i> (Vahl) Thunb.	Q				x				x
	西南粗糠树 <i>Ehretia corylifolia</i> C. H. Wright		K				x		x	
	大叶假鹤虱 <i>Eritrichium brachytubum</i> (Diels) Lian et J. Q. wang	Q					x			
	卵叶微孔草 <i>Microula ovalifolia</i> (Bur. et Franch.) Johnst.		K	D						x
	巴塘微孔草 <i>Microula ciliaris</i> (Bur. et Franch.) Johnst.		K							x
	小微孔草 <i>Microula younghusbandii</i> Duthie	Q								x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	多花微孔草 <i>Microula floribunda</i> W. T. Wang	Q								x
	滇紫草 <i>Onosma paniculatum</i> Bur.et Franch.		K	D		x				
	管状滇紫草 <i>Onosma fistulosum</i> Johnst.		K			x				
	川西滇紫草 <i>Onosma mertensioides</i> Johnst.	Q				x				
	腺花滇紫草 <i>Onosma adenopus</i> Johnst.	Q				x				
	雅江滇紫草 <i>Onosma yajiangense</i> W. T. Wang ex Y. L. Liu					x				
马鞭草科 Verbenaceae										
	毛球莼 <i>Caryopteris trichosphaera</i> Smith		K			x		x		
	黄荆 <i>Vitex negundo</i> L.		K			x		x		
	滇牡荆 <i>Vitex yunnanensis</i> W. W. Smith		K			x		x		
	马鞭草 <i>Verbena officinalis</i> L.	Q				x		x		
水马齿科 Callitrichaceae										
	沼生水马齿 <i>Callitriche palustris</i> L.	Q				x				
马兜铃科 Aristolochiaceae										
	单叶细辛 <i>Asarum himalaicum</i> Hook. f. et Thoms. ex Klotzsch.		K	D		x	x			
葫芦科 Cucurbitaceae										
	头花赤瓟 <i>Thladiantha capitata</i> Cogn.		K			x	x		x	x
	长毛赤瓟 <i>Thladiantha villosula</i> Cogn.		K			x	x		x	x
	刚毛赤瓟 <i>Thladiantha setispina</i> A.M.Lu et Z.Y.Zhang		K			x	x		x	x
忍冬科 Cabiaceae										
	小叶六道木 <i>Abelia parvifolia</i> Hemsl.		K				x			
	南方六道木 <i>Abelia dielsii</i> (Graebn.) Rehd.	Q					x			
	云南双盾木 <i>Dipelta yunnanensis</i> Franch.	Q					x		x	
	狭萼鬼吹箫 <i>Leycesteria formosa</i> var. <i>stenosepala</i> Rehd.		K	D		x	x			
	越桔叶忍冬 <i>Lonicera myrtilloides</i> Hook. f. et Thoms.	Q					x		x	
	红花忍冬 <i>Lonicera rupicola</i> var. <i>syringantha</i> (Maxim.) Zabel		K			x	x		x	
	四川忍冬 <i>Lonicera szechuanica</i> Batal.	Q					x			
	凹叶忍冬 <i>Lonicera retusa</i> Franch.		K	D			x			
	柳叶忍冬 <i>Lonicera lanceolata</i> Wall.	Q					x		x	
	刚毛忍冬 <i>Lonicera hispida</i> Pall. ex Roem. et Schult.	Q					x		x	
	毛花忍冬 <i>Lonicera trichosantha</i> Bur. et Franch.				Y		x		x	
	长叶毛花忍冬 <i>Lonicera trichosantha</i> var. <i>xerocalyx</i> (Diels) Hsu. et H. J. Wang	Q					x		x	
	杯萼忍冬 <i>Lonicera inconspicua</i> Batal.	Q					x			
	理塘忍冬 <i>Lonicera litangensis</i> Batal.		K		Y		x			
	岩生忍冬 <i>Lonicera rupicola</i> Hook. f. et Thoms.	Q					x			
	葱皮忍冬 <i>Lonicera ferdinandii</i> Franch.		K	D			x		x	
	亮叶忍冬 <i>Lonicera ligustrina</i> var. <i>yunnanensis</i> Franch.		K	D			x			
	毛花忍冬 <i>Lonicera trichosantha</i> Bur. et Franch.	Q					x			
	唐古特忍冬 <i>Lonicera tangutica</i> Maxim.	Q					x			
	淡红忍冬 <i>Lonicera acuminata</i> Wall.		K				x			
	血满草 <i>Sambucus adnata</i> Wall. ex DC.	Q				x	x		x	x
	廷子镰 <i>Triosteum pinnatifidum</i> Maxim.		K	D		x	x			
	穿心廷子镰 <i>Triosteum himalayana</i> Wall.	Q				x	x			
	水红木 <i>Viburnum cylindricum</i> Buch.	Q				x	x			
	球花荚蒾 <i>Viburnum glomeratum</i> Maxim.		K	D			x			
	密花荚蒾 <i>Viburnum congestum</i> Rehd.		K				x			
	心叶荚蒾 <i>Viburnum cordifolium</i> Wall.		K				x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	珍珠荚蒾 <i>Viburnum foetidum</i> var. <i>ceanothoides</i> (C.H.Wright) Hand.-Mazz.		K			x	x			
	湖北荚蒾 <i>Viburnum hupehense</i> Rehd.	Q					x			
	淡红荚蒾 <i>Viburnum kansuense</i> Batal.		K	D			x			
	桦叶荚蒾 <i>Viburnum betulifolium</i> Batal.		K	D			x			
	甘肃荚蒾 <i>Viburnum erubescens</i> Wall.		K				x			
报春花科 Primulaceae										
	莲叶点地梅 <i>Androsace henryi</i> Oliv.		K	D			x			
	西藏点地梅 <i>Androsace mariae</i> Kanitz	Q					x			
	雅江点地梅 <i>Androsace yargongensis</i> Petitm.				Y		x			
	刺叶点地梅 <i>Androsace spinulifera</i> (Franch.) R. Knuth	Q					x			
	矮星宿菜 <i>Lysimachia pumila</i> (Baudo) Franch.	Q					x			
	虎尾草 <i>Lysimachia barystachys</i> Bunge		K			x	x			
	小丛点地梅 <i>Androsace minor</i> (Hand.-Mazz.) C. M. Hu et Y. C. Yang	Q				x	x			
	昌都点地梅 <i>Androsace bisulca</i> Bur. et Franch.				Y		x			
	垫状点地梅 <i>Androsace tapete</i> Maxim.				Y		x			
	石莲叶点地梅 <i>Androsace integra</i> (Maxim.) Hand.-Mazz.	Q					x			
	直茎点地梅 <i>Androsace erecta</i> Maxim.		K	D			x			
	多脉报春 <i>Primula polyneura</i> Franch.				Y		x			x
	七指报春 <i>Primula septemloba</i> Franch.		K		Y		x			x
	巴塘报春 <i>Primula batangensis</i> Petitm.	Q					x			x
	东俄洛报春 <i>Primula tongolensis</i> Franch.				Y		x			x
	偏花报春 <i>Primula secundiflora</i> Franch.	Q					x			x
	鹅黄灯台报春 <i>Primula cockburniana</i> Hemsl.	Q					x			x
	海仙花(报春) <i>Primula poissonii</i> Franch.	Q					x			x
	钟花报春 <i>Primula sikkimensis</i> Hook.	Q					x			x
	双花报春 <i>Primula diantha</i> Bur. et Franch.		K		Y		x			x
	圆瓣黄花呗春 <i>Primula orbicularis</i> Hemsl.		K		Y		x			x
	甘青报春 <i>Primula tangutica</i> Duthie		K				x			x
	雅江报春 <i>Primula involocrata</i> subsp. <i>yargongensis</i> (Petitm.) W.W.Smith et Forr.	Q					x			x
	黄花缺裂报春 <i>Primula rupicola</i> Balf. f. et Forr.		K		Y		x			x
	糙毛报春 <i>Primula blinii</i> Lévl.		K				x			x
	穗花报春 <i>Primula deflexa</i> Duthie.	Q					x			x
	高穗花报春 <i>Primula vialii</i> Delavay ex Franch.		K		Y		x			x
	紫花报春 <i>Primula vialii amethystina</i> Franch	Q					x			x
	紫花雪山报春 <i>Primula sinopurpurea</i> Balf. f. ex Hutch		K		Y		x			x
	匙叶雪山报春 <i>Primula limbata</i> Balf.f.et Forr.				Y		x			x
凤仙花科 Balsaminaceae										
	粗茎凤仙花 <i>Impatiens crassicaudex</i> Hook. f.				Y	x	x			x
	脆弱凤仙花 <i>Impatiens infirma</i> Hook. f.	Q					x			x
	川西凤仙花 <i>Impatiens apsotis</i> Hook. f.		K	D			x			x
	康定凤仙花 <i>Impatiens souliana</i> Hook. f.		K				x			x
	耳叶凤仙花 <i>Impatiens delavayi</i> Franch.	Q					x			x
	高山凤仙花 <i>Impatiens nubigena</i> W. W. Smith				Y		x			x
十字花科 Cruciferae										
	尖果寒原芥 <i>Aphragmus oxycarpus</i> (Hook. f. et Thoms.) Jafri				Y					x
	寒原芥 <i>Aphragmus tibeticus</i> O. E. Schulz				Y					x
	垂果南芥 <i>Arabis pendula</i> L.	Q				x	x			x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	硬毛南芥 <i>Arabis hirsuta</i> (L.) Scop.	Q								x
	劲直拟南芥 <i>Arabidopsis stricta</i> (Camb.) N. Busch				Y					x
	芥 <i>Capsella bursa-pastoris</i> (L.) Medic.	Q				x				
	碎米荠 <i>Cardamine hirsuta</i> L.	Q								x
	大叶碎米荠 <i>Cardamine macrophylla</i> Willd.	Q				x				x
	弹裂碎米荠 <i>Cardamine impatiens</i> L.		K	D						x
	紫花碎米荠 <i>Cardamine tangutorum</i> O. E. Schulz	Q				x	x			x
	云南碎米荠 <i>Cardamine yunnanensis</i> Franch.		K							x
	弯曲碎米荠 <i>Cardamine flexuosa</i> With.		K	D						x
	小叶碎米荠 <i>Cardamine microzyga</i> O. E. Schulz	Q								x
	播娘蒿 <i>Descurainia sophia</i> (L.) Webb ex Prantl	Q				x				x
	双石荠 <i>Dilophia fontana</i> Maxim.				Y					x
	异蕊芥 <i>Dimorphostemon pinnatus</i> (Pers.) Kitag.		K	D						x
	喜山葶苈 <i>Draba oreades</i> schrenk				Y					x
	球果葶苈 <i>Drada glomerata</i> Royle				Y					x
	苞序葶苈 <i>Drada ladyginii</i> Pohle	Q								
	毛葶苈 <i>Draba eriopoda</i> Turcz.	Q				x				
	密序山蓊菜 <i>Eutrema edwardsii</i> var. <i>heterophyllum</i> (W.W.Smith) W.T.Wang	Q								x
	川滇山蓊菜 <i>Eutrema lancifolium</i> (Franch.) O. E. Schulz	Q				x				x
	四川糖芥 <i>Erysimum benthamii</i> P.Monnet	Q				x				x
	独行菜 <i>Lepidium apetalum</i> Willd.	Q				x				x
	楔叶独行菜 <i>Lepidium cuneiforme</i> C.Y.Wu.		K		Y					x
	头花独行菜 <i>Lepidium capitatum</i> Hook. f. et Thoms.	Q								
	高河菜 <i>Megacarpaea delavayi</i> Franch.	Q				x	x		x	x
	蔊菜 <i>Rorippa montana</i> (Wall.) Small		K							
	高蔊菜 <i>Rorippa elata</i> (Hook.f.et Thoms.) Hand.-Mazz.	Q				x	x		x	x
	沼生蔊菜 <i>Rorippa islandica</i> (Oed.) Borb.	Q								
	垂果大蒜芥 <i>Sisymbrium heteromallum</i> C. A. Mey.	Q								
	丛菴 <i>Solms-Laubachia pulcherrima</i> Muschl.				Y	x				
	线叶丛菴 <i>Solms-Laubachia linearifolia</i> (W. W. Smith) O. E. Schulz				Y					
	蔊蓂 <i>Thlaspi arvense</i> L.	Q				x	x		x	x
	虻果芥 <i>Torularia humilis</i> (C.A.Mey.) O.E.Schulz		K							
车前科 Plantaginaceae										
	车前 <i>Plantago asiatica</i> L.	Q				x				
	疏花车前 <i>Plantago asiatica</i> L. ssp. <i>erosa</i> (Wall.) Z. Y. Li	Q								
	大车前 <i>Plantago major</i> L.		K							
	平车前 <i>Plantago depressa</i> Willd.	Q								
爵床科 Acanthaceae										
	假水蓑衣 <i>Pteracanthus hygrophiloides</i> (C. B. Clarke ex W. W. Sm) H. W. Li		K							
	爵床 <i>Rostellularia procumbens</i> (L.) Nees		K			x	x			
龙胆科 Gentiaceae										
	黑边假龙胆 <i>Gentianella azurea</i> (Bunge) Holub		K	D			x			
	蓝钟喉毛花 <i>Comastoma cyananthiflorum</i> (Franch.ex Hemsl.) Holub	Q					x			
	镰萼喉毛花 <i>Comastoma falcatum</i> (Turcz. ex Kar.et Kir.) Toyokuni				Y		x			
	喉毛花 <i>Comastoma pulmonarium</i> (Turcz.) Toyokuni	Q					x			
	直立蔓龙胆 <i>Crawfordia semialata</i> (Marq.) H. Smith				Y		x			x
	麻花艸 <i>Gentiana straminea</i> Maxim.	Q				x	x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	达乌里秦艽 <i>Gentiana dahurica</i> Fisch.				Y	x	x			
	粗茎秦艽 <i>Gentiana crassicaulis</i> Duthie ex Burk.	Q				x	x			
	川西秦艽 <i>Gentiana dendrologi</i> Marq.		K	D		x	x			
	管花秦艽 <i>Gentiana siphonantha</i> Maxim. ex Kusnez.		K		Y	x	x			
	短柄龙胆 <i>Gentiana stipitata</i> Edgew.	Q				x	x			
	五叶龙胆 <i>Gentiana viatrix</i> H. Smith ex Marq.		K		Y	x	x			
	蓝玉簪龙胆 <i>Gentiana veitchiorum</i> Hemsl.			D	Y	x	x			
	高山龙胆 <i>Gentiana algida</i> Pall.				Y	x	x			
	云雾龙胆 <i>Gentiana nubigena</i> Edgew.				Y	x	x			
	多花龙胆 <i>Gentiana striolata</i> T. N. Ho				Y	x	x			
	川西龙胆 <i>Gentiana wilsonii</i> Marq.	Q				x	x			
	圆萼龙胆 <i>Gentiana suborbisepala</i> Marq.				Y	x	x			
	东俄洛龙胆 <i>Gentiana tongolensis</i> Franch.		K		Y	x	x			
	条纹龙胆 <i>Gentiana striata</i> Maxim.		K			x	x			
	钻叶龙胆 <i>Gentiana haynaldii</i> Kanitz	Q				x	x			
	鳞叶龙胆 <i>Gentiana squarrosa</i> Ledeb.				Y	x	x			
	蓝白龙胆 <i>Gentiana leucomelaena</i> Maxim.	Q				x	x			
	打箭炉龙胆 <i>Gentiana tatsiensis</i> Franch.	Q				x	x			
	假水生龙胆 <i>Gentiana pseudoaquatica</i> Kusnez.	Q				x	x			
	肾叶龙胆 <i>Gentiana crassuloides</i> Bureau et Franch.		K	D		x	x			
	青藏龙胆 <i>Gentiana futtereri</i> Diels et Gilg				Y	x	x			
	湿生扁蕾 <i>Gentianopsis paludosa</i> (Hook.f.) Ma	Q				x	x			x
	扁蕾 <i>Gentianopsis barbata</i> (Fröel.) Ma		K	D		x	x			
	细萼扁蕾 <i>Gentianopsis barbata</i> var. <i>stenocalyx</i> H. W. Li ex T. N. Ho		K	D			x			
	椭圆叶花锚 <i>Halenia elliptica</i> D. Don	Q					x			x
	大花肋柱花 <i>Lomatogonium macranthum</i> (Diels et Gilg) Fern.	Q					x			x
	肋柱花 <i>Lomatogonium carinthiacum</i> (Wulf.) Reichb.	Q					x			x
	高獐牙菜 <i>Swertia elata</i> H. Smith				Y		x			x
	川西獐牙菜 <i>Swertia mussotii</i> Franch.		K	D			x			x
玄参科 chophulariaceae										
	短腺小米草 <i>Euphrasia regelii</i> Wettst.	Q								x
	鞭打绣球 <i>Hemiphragma heterophyllum</i> Wall.	Q					x			
	全缘兔耳草 <i>Lagotis integra</i> W. W. Smith				Y		x			
	肉果草 <i>Lancea tibetica</i> Hook.f.et.Thoms.		K		Y		x			
	水茫草 <i>Limosella aquatica</i> Linn.		K		Y					
	宽叶柳穿鱼 <i>Linaria tibetica</i> Franch.	Q				x	x		x	x
	低矮通泉草 <i>Mazus humilis</i> Hand.-Mazz.	Q					x			
	轮叶马先蒿 <i>Pedicularis verticillata</i> L.	Q					x			
	伞花马先蒿 <i>Pedicularis umbelliformis</i> Li		K				x			
	聚花马先蒿 <i>Pedicularis confertiflora</i> Prain			D	Y		x			
	凹唇马先蒿 <i>Pedicularis croizatiana</i> Li	Q					x			
	硕大马先蒿 <i>Pedicularis ingens</i> Maxim.				Y		x			
	华丽马先蒿 <i>Pedicularis superda</i> Franch. et Maxim.	Q					x			
	红色马先蒿 <i>Pedicularis rubens</i> Steph. ex Willd.	Q					x			
	极丽马先蒿 <i>Pedicularis decorisima</i> Diels	Q					x			
	二歧马先蒿 <i>Pedicularis dichotoma</i> Bonati				Y		x			
	大拟鼻花马先蒿 <i>Pedicularis rhinanthoides</i> Schrenk ssp. <i>labellata</i> (Jacq.) Tsoong		K		Y		x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	半扭卷马先蒿 <i>Pedicularis semitorta</i> Maxim.				Y		x			
	丹参花马先蒿 <i>Pedicularis salviaeflora</i> Franch.		K				x			
	扭盔马先蒿 <i>Pedicularis davidii</i> Franch.	Q					x			
	斑唇马先蒿 <i>Pedicularis longiflora</i> var. <i>tubiformis</i> (Klotz.) Tsoong	Q					x			
	草甸马先蒿 <i>Pedicularis roylei</i> Maxim.	Q				x	x			
	胡黄连 <i>Picrorhiza scrophulariiflora</i> Pennell				Y	x	x			
	单齿玄参 <i>Scrophularia mandrinorum</i> Franch.		K				x			
	蚊母草 <i>Veronica peregrine</i> L.	Q								
	毛果婆婆纳 <i>Veronica eriogyne</i> H. Winkl	Q								
	长果婆婆纳 <i>Veronica ciliate</i> Fisch.		K		Y					
	四川婆婆纳多毛亚种 <i>Veronica szechuanica</i> subsp. <i>sikkimensis</i> (Hook f.) Hong	Q								
	北水苦苣 <i>Veronica anagallis-aquatica</i> L.	Q				x				
唇形科 Labiatae										
	藿香 <i>Agastache rugosa</i> (Fisch. et Mey.) O. Ktze.		K			x	x	x		x
	白苞筋骨草 <i>Ajuga lupulina</i> Maxim.	Q				x		x		
	美花圆叶筋骨草 <i>Ajuga ovalifolia</i> var. <i>calantha</i> (Diels) C.Y.Wu et C. Chen				Y	x		x		
	痢止蒿 <i>Ajuga forrestii</i> Diels	Q				x		x		
	水棘针 <i>Amethystea caerulea</i> L.	Q				x	x	x		x
	白花铃子香 <i>Chelonopsis albiflora</i> Pax et Hoffn. ex Limpr.		K		Y		x			
	风轮菜 <i>Clinopodium chinense</i> (Benth.) O.Ktze.		K	D		x				
	甘青青兰 <i>Dracocephalum tanguticum</i> Maxim.	Q				x	x	x	x	x
	头花香薷 <i>Elsholtzia capituligera</i> C.Y.Wu		K	D		x	x	x	x	x
	鸡骨柴 <i>Elsholtzia fruticosa</i> (D.Don) Rehd.	Q				x	x	x	x	x
	野香草 <i>Elsholtzia cypriani</i> (Pavol.) S. Chw ex P. S. Hsu		K			x	x	x	x	x
	球穗香薷 <i>Elsholtzia strobilifera</i> (Benth.) Benth.	Q				x	x	x	x	x
	密花香薷 <i>Elsholtzia densa</i> Benth.	Q				x	x	x	x	x
	香薷 <i>Elsholtzia ciliata</i> (Thunb.) Hyland.		K	D		x	x	x	x	x
	高原香薷 <i>Elsholtzia feddei</i> Lévl.	Q				x	x	x	x	x
	川滇香薷 <i>Elsholtzia souliei</i> Lévl.	Q				x	x	x		x
	绵参 <i>Eriophyton wallichii</i> Benth.	Q				x	x			
	融瓣花(野芝麻) <i>Galeopsis bifida</i> Boenn.	Q				x	x	x		x
	黄花香茶菜 <i>Isodon sculponeatus</i> (Vaniot) Kudo		K				x	x		x
	白叶香茶菜 <i>Isodon leucophyllus</i> (Dunn) Kudo	Q					x	x		x
	小叶香茶菜 <i>Isodon parvifolius</i> (Butal.) Hara		K				x	x		x
	夏至草 <i>Lagopsis supine</i> (Steph.) IK.-Gal.	Q				x	x		x	x
	独一味 <i>Lamiophlomis rotata</i> (Benth) Kudo.	Q				x	x	x	x	x
	宝盖草 <i>Lamium amplexicaule</i> L.	Q				x	x			x
	益母草 <i>Leonurus japonicus</i> Houtt.	Q				x	x	x	x	x
	蜜蜂花 <i>Melissa axillaries</i> (Benth.) Bakh. f.	Q				x		x		x
	穗花荆芥 <i>Nepeta laevigata</i> (D. Don) Hand.-Mazz.	Q				x	x	x	x	x
	圆齿荆芥 <i>Nepeta wilsonii</i> Duthie	Q				x	x	x	x	x
	康藏荆芥 <i>Nepeta prattii</i> Lévl		K		Y	x	x	x	x	x
	狭叶荆芥 <i>Nepeta souliei</i> Lévl.		K			x	x	x	x	x
	牛至 <i>Origanum vulgare</i> L.	Q				x	x	x	x	x
	刺毛糙苏 <i>Phlomis setifera</i> Bur.et Franch.		K			x	x	x	x	x
	美观糙苏 <i>Phlomis ornata</i> C.Y.Wu		K			x	x	x	x	x
	康定糙苏 <i>Phlomis tatsienensis</i> Bur. et Franch.		K	D		x	x	x	x	x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	紫苏 <i>Perilla frutescens</i> (L.) Britt.		K			x		x	x	x
	夏枯草 <i>Prunella vulgaris</i> L.	Q				x		x		x
	硬毛夏枯草 <i>Prunella hispida</i> Benth.	Q				x		x		x
	甘西鼠尾草 <i>Salvia przewalskii</i> Maxim.	Q					x	x	x	x
	康定鼠尾草 <i>Salvia prattii</i> Hemsl.		K		Y		x	x	x	x
	橙香鼠尾草 <i>Salvia smithii</i> Stib.		K	D			x	x	x	x
	粘毛鼠尾草 <i>Salvia roborowskii</i> Maxim.	Q					x	x	x	x
	黄鼠狼花 <i>Salvia tricuspis</i> Franch.		K	D			x	x	x	x
	连翘叶黄芩 <i>Scutellaria hypericifolia</i> Lévl.	Q				x		x		x
	粗齿西南水苏 <i>Stachys konyangensis</i> var. <i>franchetiana</i> (Lévl.) C. Y. Wu	Q					x	x	x	
茜草科 Rubiaceae										
	猪殃殃 <i>Galium aparine</i> var. <i>tenerum</i> (Gren.et Godr.) Rchb.	Q				x				
	拉拉藤 <i>Galium aparine</i> var. <i>echinospermum</i> (Wallr.) Cuf.	Q								
	硬毛拉拉藤 <i>Galium boreale</i> var. <i>ciliatum</i> Nakai	Q								
	林猪殃殃 <i>Galium paradoxum</i> Maxim.	Q								
	小叶猪殃殃 <i>Galium trifidum</i> L.		K							
	单花拉拉藤 <i>Galium exile</i> Hook. f.	Q								
	六叶葎 <i>Galium saperuloides</i> var. <i>hoffmeisteri</i> (Klotzsch) H.M	Q								
	四叶葎 <i>Galium bungei</i> Steud.		K	D						
	麦仁珠 <i>Galium tricornis</i> Stokes	Q								
	小叶葎 <i>Galium asperifolium</i> var. <i>sikkimense</i> Cuf		K		Y					
	耳草 <i>Hedyotis auricularia</i> L.	Q								
	野丁香 <i>Leptodermis potaninii</i> Batal.		K			x	x			
	川滇野丁香 <i>Leptodermis pilosa</i> Diels	Q							x	
	红花茜草 <i>Rubia haematantha</i> Airy-Shaw				Y				x	
	柄花茜草 <i>Rubia podantha</i> Diels	Q							x	
川续断科 Dipsacaceae										
	川续断 <i>Dipsacus asperoides</i> C. Y. Cheng et T. M. Ai	Q				x	x		x	x
	大头续断 <i>Dipsacus chinensis</i> Bat.	Q				x	x		x	x
	刺续断 <i>Morina nepalensis</i> D. Don	Q				x	x		x	x
	白花刺参 <i>Morina nepalensis</i> D. Don var. <i>alba</i> Hand.-Mazz.	Q				x	x			x
	大花刺参 <i>Morina nepalensis</i> var. <i>delavayi</i> (Franch.) C. H. Hsing	Q				x	x			x
	圆萼刺参 <i>Morina chinensis</i> (Bat.) Diels		K		Y	x	x			x
	匙叶翼首花 <i>Ptercephalus hookeri</i> (C. B. Clarke) Hock.	Q				x	x			x
	双参 <i>Triplostegia glandulifera</i> Wall. ex DC.	Q					x			x
败酱科 Valerianaceae										
	匙叶甘松 <i>Nardostachys jatamansi</i> (D. Don) DC.	Q				x	x	x	x	x
	缬草 <i>Valeriana officinalis</i> L.	Q				x	x	x	x	x
	瑞香缬草 <i>Valeriana dephniflora</i> Hand.-Mazz.		K			x	x	x	x	x
	窄裂缬草 <i>Valeriana stenoptera</i> Diels	Q				x	x	x	x	x
	长序缬草 <i>Valeriana hardwickii</i> Wall.	Q				x	x	x	x	x
桔梗科 Campanulaceae										
	甘孜沙参 <i>Adenophora jasionifolia</i> Franch.	Q				x	x			x
	天蓝沙参 <i>Adenophora coelestis</i> Diels	Q				x	x			x
	泡沙参 <i>Adenophora potaninii</i> Korsh.	Q				x	x			x
	喜马拉雅沙参 <i>Adenophora himalayana</i> Feer		K			x	x			x
	川藏沙参 <i>Adenophora lilifolioides</i> Pax et Hoffm.	Q				x	x			x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	西南风铃草 <i>Campanula colorata</i> Wall.	Q					x			x
	钻裂风铃草 <i>Campanula aristata</i> Wall.	Q					x		x	x
	球花党参 <i>Codonopsis subglobosa</i> W. W. Smith	Q				x	x		x	x
	光萼党参 <i>Codonopsis levicalyx</i> L.T.Shen.			D		x	x		x	x
	抽葶党参 <i>Codonopsis subscaposa</i> Kom.	Q				x	x			x
	脉花党参 <i>Codonopsis nervosa</i> (Chipp) Nannf.	Q				x	x			x
	绿钟党参 <i>Codonopsis chlorocodon</i> C. Y. Wu	Q				x	x		x	x
	薄叶鸡蛋参 <i>Codonopsis convolvulacea</i> subsp. <i>vinciflora</i> (Kom.) Hong	Q				x	x			x
	大萼蓝钟花 <i>Cyananthus macrocalyx</i> Franch.	Q					x			x
	灰毛蓝钟花 <i>Cyananthus incanus</i> Hook. f. et Thoms.	Q					x			x
	川西蓝钟花 <i>Cyananthus dolichosceles</i> Marq.	Q					x			x
	蓝钟花 <i>Cyananthus hookeri</i> C.B.Cl.				Y		x			x
	胀萼蓝钟花 <i>Cyananthus inflatus</i> Hook.f. et Thoms		K	D			x			x
	铜锤玉带草 <i>Pratia begoniifolia</i> (Wall.) Lindl.	Q				x	x			x
菊科 Compositae										
	异叶兔儿风 <i>Ainsliaea foliosa</i> Hand.-Mazz.	Q					x			x
	宽叶兔儿风 <i>Ainsliaea latifolia</i> (D. Don) Sch.-Bip.			D	Y		x			x
	千花亚菊 <i>Ajiania myriantha</i> (Franch.) Ling		K				x			x
	柳叶亚菊 <i>Ajiania salicifolia</i> (Mattf.) Poljak.	Q					x			x
	西藏亚菊 <i>Ajiania tibetica</i> (Hook. f. et Thoms ex C.B.Clarke) Tzvel.				Y		x			x
	乳白香青 <i>Anaphalis lactea</i> Maxim.	Q					x	x		
	珠光香青 <i>Anaphalis margaritacea</i> (L.) Benth. et Hook.f.		K	D				x		
	旋叶香青 <i>Anaphalis contorta</i> (D. Don) Hook. f.	Q					x	x		
	二色香青 <i>Anaphalis bicolor</i> (Franch.) Diels				Y			x		
	淡黄香青 <i>Anaphalis flavescens</i> Hand.-Mazz.	Q						x		
	尼泊尔香青 <i>Anaphalis nepalensis</i> (Spring) Hand.-Mazz.				Y			x		
	纤枝香青 <i>Anaphalis gracilis</i> Hand.-Mazz.	Q						x		
	川西香青 <i>Anaphalis souliei</i> Diels	Q						x		
	红指香青 <i>Anaphalis rhododactyla</i> W. W. Smith			D	Y			x		
	零零香 <i>Anaphalis hancockii</i> Maxim.				Y			x		
	牛蒡子 <i>Arctium lappa</i> L.		K			x			x	x
	大籽蒿 <i>Artemisia sieversiana</i> Willd.	Q							x	
	小球花蒿 <i>Artemisia moorcroftiana</i> Wall.	Q							x	
	川藏蒿 <i>Artemisia tainingensis</i> Hand.-Mazz.				Y				x	
	灰苞蒿 <i>Artemisia roxburghiana</i> Bess.	Q							x	
	沙蒿 <i>Artemisia desertorum</i> Spreng.			D					x	
	西南牡蒿 <i>Artemisia parviflora</i> Buch.-Ham.ex Roxb.	Q							x	
	指裂蒿 <i>Artemisia tridactyla</i> Hand.-Mazz.				Y				x	
	猪毛蒿 <i>Artemisia scoparia</i> Waldst.et Kit.	Q							x	
	臭蒿 <i>Artemisia hedinii</i> Ostenf.et Pauls.	Q							x	
	牛尾蒿 <i>Artemisia dubia</i> Wall. ex Bess.		K	D					x	
	白苞蒿 <i>Artemisia lactiflora</i> Wall.		K						x	
	无毛小舌紫菀 <i>Aster albescens</i> var. <i>levissimus</i> Hand.-Mazz.		K				x			x
	长毛小舌紫菀 <i>Aster albescens</i> var. <i>pilosus</i> Hand.-Mazz.	Q					x			x
	重冠紫菀 <i>Aster diplostephioides</i> (DC.) C.B.clarke	Q					x			x
	巴塘紫菀 <i>Aster batangensis</i> Burr.et Franch.	Q					x			x
	东俄洛紫菀 <i>Aster tongolensis</i> Franch.	Q					x			x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	滇藏紫菀 <i>Aster tsarungensis</i> (Griers.) Ling				Y		x			x
	杨毛紫菀 <i>Aster fuscescens</i> Burr.et Franch.	Q					x			x
	高山紫菀 <i>Aster alpinus</i> L.	Q					x			x
	缘毛紫菀 <i>Aster soupliei</i> Franch.	Q					x			x
	丝毛飞廉 <i>Carduus crispus</i> L.	Q					x		x	x
	节毛飞廉 <i>Carduus acanthoides</i> L.	Q				x	x		x	x
	高原天名精 <i>Carpesium lipskyi</i> Winkl.	Q				x				
	烟管头草 <i>Carpesium Cernuum</i> L.		K			x				
	葶苈 <i>Cavea tangueensis</i> (Drumm.) W. W. Smith et J. Small						x			x
	魁薊 <i>Cirsium leo</i> Nakai et Kitag.		K	D		x	x			x
	葵花大薊 <i>Cirsium souliei</i> (Franch.) Mattf.	Q				x	x			x
	小白酒 <i>Conyza Canadensis</i> (L.)	Q								
	秋英 <i>Cosmos bipinnata</i> Cav. (栽培)		K		Y	x	x		x	x
	车前状垂头菊 <i>Cremanthodium plantagineum</i> Maxim.				Y		x			
	钟花垂头菊 <i>Cremanthodium campanulatum</i> (Franch.) Diels	Q					x			x
	长柱(红头)垂头菊 <i>Cremanthodium rhodocephalum</i> Diels	Q					x			x
	喜玛拉雅垂头菊 <i>Cremanthodium decaisnei</i> C. B. Clarke				Y		x			x
	向日葵垂头菊 <i>Cremanthodium helianthus</i> (Franch.) W. W. Smith	Q					x			x
	侧茎垂头菊 <i>Cremanthodium pleurocaule</i> (Franch.) Good	Q					x			x
	紫茎垂头菊 <i>Cremanthodium smithianum</i> (Hand.-Mazz.) Hand.-Mazz.	Q					x			x
	小鱼眼草 <i>Dichrocephala benthamii</i> C. B. Clarke(Thunb.) Druce	Q				x				
	西藏多榔菊 <i>Doronicum thibetanum</i> Cavill.		K		Y		x			x
	狭舌多榔菊 <i>Doronicum stenoglossum</i> Maxim.		K		Y		x			x
	紫茎飞蓬 <i>Erigeron purpurascens</i> Ling et Y.L. Chen		K				x			x
	多舌飞蓬 <i>Erigeron multiradiatus</i> (Lindl.) Benth.	Q					x			x
	异叶泽兰 <i>Eupatorium heterophyllum</i> DC.		K	D		x	x			x
	辣子草 <i>Galinsoga parviflora</i> Cav.	Q								
	毛大丁草 <i>Gerbera piloselloides</i> (L.) Cass.	Q					x			x
	圆齿狗娃花 <i>Heteropappus crenatifolius</i> (Hand.-Mazz.) Griers.	Q					x			x
	阿尔泰狗娃花 <i>Heteropappus altaicus</i> (Willd.) Novopokr.	Q					x			x
	向日葵 <i>Helianthus annuus</i> L. (栽培)	Q				x	x		x	x
	菊芋 <i>Helianthus tuberosus</i> L. (栽培)		K			x	x		x	x
	水朝阳旋覆花 <i>Inula helianthus-aquatica</i> C.Y. Wu ex Ling	Q				x	x			x
	矮火绒草 <i>Leontopodium nanum</i> (Hook.f.et Thoms.) Hand.-Mazz.	Q							x	
	华火绒草 <i>Leontopodium sinense</i> Hemsl.		K	D					x	
	木茎火绒草 <i>Leontopodium stoechas</i> Hand.-Mazz.				Y				x	
	钻叶火绒草 <i>Leontopodium subulatum</i> (Franch.) Beauv.	Q							x	
	坚杆火绒草 <i>Leontopodium franchetii</i> Beauv.	Q							x	
	川西火绒草 <i>Leontopodium wilsonii</i> Beauv.		K	D					x	
	黄帚橐吾 <i>Ligularia virgaurea</i> (Maxim.) Mattf.	Q					x			x
	箭叶橐吾 <i>Ligularia sagitta</i> (Maxim.) Mattf.	Q					x			x
	舟叶橐吾 <i>Ligularia cymbulifera</i> (W. W. Smith) Hand.-Mazz.	Q					x			x
	穗序橐吾 <i>Ligularia subspicata</i> (Bur. et Franch.) Hand.-Mazz.	Q					x			x
	侧茎橐吾 <i>Ligularia pleurocaulis</i> (Franch.) Hand.-Mazz.	Q					x			x
	东俄洛橐吾 <i>Ligularia tongolensis</i> (Franch.) Hand.-Mazz.		K				x			x
	牛蒡叶橐吾 <i>Ligularia lapathifolia</i> (Franch.) Hand.-Mazz.		K				x			x
	掌叶橐吾 <i>Ligularia przewalskii</i> (Maxim.) Diels	Q					x			x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	莲叶囊吾 <i>Ligularia nelumbifolia</i> (Franch.) Hand.-Mazz.	Q					x			x
	大黄囊吾 <i>Ligularia duciforums</i> (C. Winkl.) Hand.-Mazz.	Q					x			x
	粘冠草 <i>Myriactis wightii</i> DC.	Q								
	阔柄蟹甲草 <i>Parasenecio latipes</i> (Franch.) Y. L. Chen	Q					x			x
	川西蟹甲草 <i>Parasenecio souliei</i> (Franch.) Y. L. Chen	Q					x			x
	轮叶蟹甲草 <i>Parasenecio cyclotus</i> (Bur. et Franch.) Y. L. Chen	Q					x			x
	蛛毛蟹甲草 <i>Parasenecio roborowskii</i> (Maxim.) Y. L. Chen	Q					x			x
	腺毛掌裂蟹甲草 <i>Parasenecio palmatisectus</i> var. <i>moupinensis</i> (Franch.) Y. L. Chen	Q					x			x
	三角叶蟹甲草 <i>Cacalia deltophylla</i> (Maxim.) Mattf.		K	D			x			x
	异叶帚菊 <i>Pertya berberidoides</i> (Hand.-Mazz.) Y. C. Tseng		K		Y		x			x
	毛裂蜂斗菜 <i>Petasites tricholobus</i> Fanch.	Q				x	x			x
	毛连菜 <i>Picris hieracioides</i> L.		K		Y		x			x
	金仙草 (金花蚤草) <i>Pulicaria chrysantha</i> (Diels) Ling		K			x	x			x
	川西小黄菊 <i>Pyrethrum tatsienense</i> (Bur. et Franch) Krylv.			D	Y	x	x			
	羽裂风毛菊 <i>Saussurea pinnatidentata</i> Lipsch.	Q								
	鸢尾叶风毛菊 <i>Saussurea romuleifolia</i> Franch.		K	D						
	重齿风毛菊 <i>Saussurea katochaete</i> Maxim.	Q								
	禾叶风毛菊 <i>Saussurea graminea</i> Dunn	Q								
	半琴叶风毛菊 <i>Saussurea semilyrata</i> Bureau et Franch.	Q								
	弯齿风毛菊 <i>Saussurea przewalskii</i> Maxim.				Y					
	中甸风毛菊 <i>Saussurea dschungdienensis</i> Hand.-Mazz.	Q								
	东俄洛风毛菊 <i>Saussurea pachyneura</i> Franch.		K		Y					
	柳叶菜风毛菊 <i>Saussurea epilobioides</i> Maxim.	Q								
	毡毛风毛菊 <i>Saussurea velutina</i> W.W. Smith			D	Y					
	长叶雪莲 <i>Saussurea longifolia</i> Franch.				Y	x				
	球花雪莲 <i>Saussurea globosa</i> Chen		K			x				
	星状雪兔子 <i>Saussurea stella</i> Maxim.	Q				x				
	黑毛雪兔子 <i>Saussurea hypsipeta</i> Diels				Y	x				
	槲叶雪兔子 <i>Saussurea quercifolia</i> W. W. Smtih			D	Y	x				
	绵头雪莲 <i>Saussurea laniceps</i> Hand.-Mazz.			D	Y	x	x			
	多鞘雪莲 <i>Saussurea polycolea</i> Hand.-Mazz.	Q				x	x			
	水母雪莲 <i>Saussurea medusa</i> Maxim.			D	Y	x	x			
	毡毛雪莲 <i>Saussurea velutina</i> W. W. Smith			D	Y	x	x			
	褐花雪莲 <i>Saussurea phaeantha</i> Maxim.				Y	x				
	耳柄蒲耳根 <i>Sinosenecio euodmus</i> (Hand.-Mazz.) B. Nord.		K				x			x
	大花千里光 <i>Senecio megalanthus</i> Y. L. Chen				Y		x			x
	多苞千里光 <i>Senecio multibracteolatus</i> C. Jeffrey et Y. L. Chen				Y		x			x
	缢苞麻花头 <i>Serratula strangulate</i> Iljin	Q					x		x	
	腺梗豨薟 <i>Siegesbeckia pubescens</i> Makino.	Q				x	x		x	
	金沙绢毛菊 <i>Soroseris gillii</i> (S. Moore) Stebbins.	Q					x			x
	羽裂绢毛菊 <i>Soroseris hirsuta</i> (Anth.) Shih	Q					x			x
	空桶参 <i>Soroseris erysimoides</i> (Hand.-Mazz.) Shih	Q				x	x			x
	细葛苣 <i>Stenoseres graciliflora</i> (Wall. ex DC.) Shih		K				x			x
	圆叶合头菊 <i>Syncalathium orbiculariforme</i> Shih			D	Y		x			x
	康滇合头菊 <i>Syncalathium souliei</i> (Franch.) Ling	Q					x			x
	小花蒲公英 <i>Taraxacum parvulum</i> (Wall.) DC.	Q				x	x			x
	川藏蒲公英 <i>Taraxacum maurocarpum</i> Dahlst.	Q				x	x			x

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	川甘蒲公英 <i>Taraxacum lugubre</i> Dahlst.	Q				x	x			x
	藏蒲公英 <i>Taraxacum tibetanum</i> Hand.-Mazz.			D	Y		x			x
	橙舌狗舌草 <i>Tephrosieris rufa</i> (Hand.-Mazz.) B. Nord.	Q								
	厚叶木香 <i>Vladimira berardiode</i> (Franch.) Ling				Y	x	x			x
	川木香 <i>Vladimira souliei</i> (Franch.) Ling	Q				x	x			x
	黄纓菊 <i>Xanthopappus subacaulis</i> C. Winkl.			D	Y	x	x			
	细梗黄鹌菜 <i>Youngia gracilipes</i> (Hook. f.) Babcock et Stebbins		K	D			x			
	总序黄鹌菜 <i>Youngia racemifera</i> (Hook. f.) Babcock et Stebbins	Q					x			
	羽裂黄鹌菜 <i>Youngia paleacea</i> (Diels) Babcock et Stebbins	Q					x			
单子叶植物 Liliopsida										
香蒲科 Typhaceae										
	宽叶香蒲 <i>Typha latifolia</i> Linn.		K			x	x	x	x	
眼子菜科 tanogettonaceae										
	水麦冬 <i>Triglochin palustre</i> Linn.		K							
	微齿眼子菜 <i>Potamogeton maackianus</i> A.Benn	Q								
	眼子菜 <i>Potamogeton distinctus</i> A. Benn.	Q								
	菹草 <i>Potamogeton crispus</i> L.		K							
禾本科 Gramineae										
	细叶芨芨草 <i>Achnatherum chingii</i> (Hitchc.) Keng				Y					
	疏花剪股颖 <i>Agrostis perlaxa</i> Pilger	Q							x	
	岩生剪股颖 <i>Agrostis rupestris</i> All.				Y				x	
	多花剪股颖 <i>Agrostis myriantha</i> Hook.f.		K	D					x	
	短柄剪股颖 <i>Agrostis brevipes</i> Keng		K	D					x	
	川滇剪股颖 <i>Agrostis limprichtii</i> Pilger	Q							x	
	看麦娘 <i>Alopecurus aequalis</i> Sobol.	Q							x	
	须芒草 <i>Andropogon yunnanensis</i> Hack.	Q								
	茅叶荩草 <i>Arthraxon prionodes</i> (Steud.) Dandy		K							
	穗序野古草 <i>Arundinella chenii</i> Keng	Q								
	野燕麦 <i>Avena fatua</i> L.		K	D						
	白羊草 <i>Bothriochloa ischaemum</i> (L.) Keng		K							
	拂子茅 <i>Calamagrostis epigejos</i> (L.) Roth.	Q							x	
	糙野青茅 <i>Calamagrostis scabrescens</i> Griseb.	Q							x	
	光柄野青茅 <i>Calamagrostis levipes</i> (Keng) P.C.Kuo et S.Lu.			D					x	
	野青茅 <i>Calamagrostis arundinacea</i> (L.) Roth	Q							x	
	长花野青茅 <i>Calamagrostis langiflora</i> (Keng) Keng f.	Q							x	
	细柄草 <i>Capillipedium parviflorum</i> (R.Br.) Stapf.	Q								
	虎尾草 <i>Chloris virgata</i> Sw.		K		Y					
	扁芒草 <i>Danthonia schneideri</i> Pilger	Q								
	发草 <i>Deschampsia caespitosa</i> (L.) Beauv.	Q								
	毛蕊草 <i>Duthiea brachypodium</i> (P. Candargy) Keng et Keng f.	Q							x	
	牛筋草 <i>Eeleusine India</i> (L.) Gaertn		K						x	
	垂穗披碱草 <i>Elymus nutans</i> Turcz.				Y				x	
	长画眉草 <i>Eragrostis zeylanica</i> Nees et Mey.	Q							x	
	黑穗画眉草 <i>Eragrostis nigra</i> Turcz.	Q							x	
	画眉草 <i>Eragrostis pilosa</i> (L.) Beauv.	Q							x	
	知风草 <i>Eragrostis ferruginea</i> (Thunb.) Beauv		K							
	糙花羊茅 <i>Festuca scabriflora</i> L. Liu	Q							x	

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	藏滇羊茅 <i>Festuca vierhapperi</i> Hand.-Mazz.				Y				x	
	羊茅 <i>Festuca ovina</i> L.	Q							x	
	紫羊茅 <i>Festuca rubra</i> L.	Q							x	
	矮羊茅 <i>Festuca coelestis</i> (St.-Yves) Kreca.et Bobr.	Q								
	白茅 <i>Imperata cylindrica</i> var. <i>major</i> (Nees) C. E. Hubb.		K							
	邠氏落草 <i>Koeleria litwinowii</i> Domin	Q								
	多花黑麦草 <i>Lolium multiflorum</i> Lamk.		K		Y					
	求米草 <i>Oplismenus undulatifolius</i> (Ard.) Roem.et Schult.			D						
	白草 <i>Pennisetum flaccidum</i> Griseb.	Q								
	早熟禾 <i>Poa annua</i> L.	Q							x	
	细叶早熟禾 <i>Poa angustifolia</i> L.	Q							x	
	草地早熟禾 <i>Poa pratensis</i> L.	Q							x	
	光轴早熟禾 <i>Poa levipes</i> (Keng) L. Liu	Q							x	
	开展早熟禾 <i>Poa patens</i> Keng ex Keng f.	Q							x	
	毛轴早熟禾 <i>Poa pilipes</i> Keng				Y				x	
	冷地早熟禾 <i>Poa crymophila</i> Keng ex C. Ling	Q							x	
	长稈早熟禾 <i>Poa dolichayra</i> Keng ex L. Liu				Y					
	致细柄茅 <i>Ptilagrostis concinna</i> (Hook. f.) Roshev.				Y					
	双叉细柄茅 <i>Ptilagrostis dichotoma</i> Keng ex Tzvel.			D	Y					
	疏花鹅冠草 <i>Roegneria laxiflora</i> Keng	Q							x	
	直穗鹅冠草 <i>Roegneria turczaninowii</i> (Drob.) Nevski	Q							x	
	狗尾草 <i>Setaria viridis</i> (L.) Beauv.	Q							x	
	云南狗尾草 <i>Setaria yunnanensis</i> Keng et K. D. Yu	Q								
	分枝大油芒 <i>Spodiopogon ramosus</i> Keng	Q								
	异针茅 <i>Stipa aliena</i> Keng		K							
	丝颖针茅 <i>Stipa copillacea</i> Keng			D	Y				x	
	丰实箭竹 <i>Fargesia ferax</i> (Keng) Yi		K						x	
	牛麻箭竹 <i>Fargesia emaculata</i> Yi		K						x	
	扫把竹 <i>Fargesia fractiflexa</i> Yi				Y					
	小菅草 <i>Themeda hookeri</i> (Griseb.) A. Camus		K	D						
	中华草沙蚕 <i>Tripogon chinensis</i> (Franch.) Hack.			D	Y					
	草沙蚕 <i>Tripogon bromides</i> Boem. et Schult.		K							
	线形草沙蚕 <i>Tripogon filiformis</i> Nees ex Steud.				Y					
	穗三毛 <i>Trisetum spicatum</i> (L.) Richt.	Q								
	长穗三毛草 <i>Trisetum clarkei</i> (Hook. f.) R. R. Stewart	Q								
	玉米 <i>Zea mays</i> L.		K			x			x	x
莎草科 Cyperaceae										
	华扁穗草 <i>Blysmus sinocompressus</i> Tang et Wang	Q								
	丝叶球柱草 <i>Bulbostylis densa</i> (Wall.) Hand.-Mzt.		K	D						
	云雾苔草 <i>Carex nubigena</i> D. Don	Q								
	无脉苔草 <i>Carex enervis</i> C. A. Mey.			D	Y					
	川滇苔草 <i>Carex schneideri</i> Nelmes	Q								
	甘肃苔草 <i>Carex kansuensis</i> Nelmes	Q								
	打箭苔草 <i>Carex tatsinensis</i> (Franch.) Kükenth.		K	D						
	红棕苔草 <i>Carex digyne</i> (Kükenth.) Tang et Wang				Y					
	白尖苔草 <i>Carex oxyleuca</i> V. Krecz.	Q								
	喜马拉雅苔草 <i>Carex nivalis</i> Boott	Q								

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	明亮苔草 <i>Carex laeta</i> Boott	Q								
	红嘴苔草 <i>Carex haematostoma</i> Nees		K		Y					
	长尖莎草 <i>Cyperus cuspidatus</i> H. B. K.		K							
	丛毛羊胡子草 <i>Eriophorum comosum</i> Nees	Q								
	牛毛毡 <i>Heleocharis yokoscensis</i> (Franch. et Sav.) Tang et Wang	Q								
	扁鞘飘拂草 <i>Fimbristylis complanta</i> (Retz.) Link	Q								
	结状飘拂草 <i>Fimbristylis rigidula</i> Nees		K							
	四川嵩草 <i>Kobresia setchwanensis</i> Hand.-Mazz.	Q								
	高山嵩草 <i>Kobresia pygmaea</i> C. B. Clarke	Q								
	喜马拉雅嵩草 <i>Kobresia royleana</i> (Nees) Kükenth.	Q								
	大花嵩草 <i>Kobresia macrantha</i> Böckl.				Y					
	甘肃嵩草 <i>Kobresia kansuensis</i> Kükenth.	Q								
	西藏嵩草 <i>Kobresia tibetica</i> Maxim.	Q								
	截形嵩草 <i>Kobresia cuneata</i> Kükenth.				Y					
	尼泊尔嵩草 <i>Kobresia nepalensis</i> (Nees) Kükenth.	Q								
	钩状嵩草 <i>Kobresia uncinoides</i> (Boott) C. B. Clarke	Q								
	高山蔗草 <i>Scirpus paniculato-corymbosus</i> Kükenth.		K	D						
	羽状刚毛蔗草 <i>Scirpus subulatus</i> Vahl	Q								
	细杆蔗草 <i>Scirpus setaceus</i> Linn.	Q								
鸢尾科 Iridaceae										
	高原鸢尾 <i>Iris collettii</i> Hook. f.		K				x			x
	紫苞鸢尾 <i>Iris ruthenica</i> Ker-Gawl.		K	D			x			x
	长葶鸢尾 <i>Iris delavayi</i> Mich.	Q					x			x
姜科 Zingiberaceae										
	高山象牙参 <i>Roscoea alpine</i> Royle				Y	x	x	x		x
	藏象牙参 <i>Roscoea tibetica</i> Bat.	Q				x	x	x		x
天南星科 Araceae										
	粗序南星 <i>Arisaema dilatatum</i> Buchet		K		Y		x			
	象鼻南星 <i>Arisaema elephas</i> S. Buchet	Q				x	x			
	小南星 <i>Arisaema parvum</i> N. E. Brown	Q					x			
	白苞南星 <i>Arisaema candidissimum</i> W. W. Sm.			D	Y		x			
	旱生南星 <i>Arisaema aridum</i> H. Li		K				x			
	稻城南星 <i>Arisaema daochengense</i> P. C. Kao						x			
	乡城南星 <i>Arisaema xiangchengense</i> H. Li. et A. M. Li				Y		x			
	象头花 <i>Arisaema franchetianum</i> Engl.			D	Y	x	x			
	高原犁头尖 <i>Typhonium diversifolium</i> Wall.	Q				x	x			
百合科 Liliaceae										
	无毛粉条儿菜 <i>Alettris glabra</i> Bur. et Franch.	Q								
	少花粉条儿菜 <i>Alteris pauciflora</i> (Klotz.) Franch.				Y					
	穗花粉条儿菜 <i>Alteris pauciflora</i> var. <i>khasiana</i> (Hook.f.) Wang et Tang	Q								
	宽叶韭 <i>Allium hookeri</i> Thwaites.	Q				x	x	x		x
	高山韭 <i>Allium sikkimense</i> Baker	Q				x	x	x		x
	卵叶韭 (鹿耳韭) <i>Allium ovalifolium</i> Hand.-Mazz.	Q				x	x	x		x
	蓝苞韭 <i>Allium atosanguineum</i> Schrenk				Y	x	x	x		x
	大花韭 <i>Allium macranthum</i> Baker				Y	x	x	x		x
	梭沙韭 <i>Allium forrestii</i> Diels				Y	x	x	x		x
	羊齿天门冬 <i>Asparagus filicinus</i> Ham. ex D. Don	Q				x	x			

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
	狭叶吊兰 <i>Chlorophytum chinense</i> Bur. et Franch.		K				x			
	万寿竹 <i>Disporum cantoniense</i> (Lour.) Merr.		K	D		x	x			
	独尾草 <i>Eremurus chinensis</i> O.Fedtsch.		K				x			
	卷叶贝母 <i>Fritillaria cirrhosa</i> D. Don	Q				x	x			x
	梭砂贝母 <i>Fritillaria delavayi</i> French.				Y	x	x			x
	褶叶萱草 <i>Hemerocallis plicata</i> Stapf		K			x	x			x
	尖被百合 <i>Lilium lophophorum</i> (Bur. et Franch.) Wang et Tang	Q				x	x			x
	滇百合 <i>Lilium bakerianum</i> Coll. et Hemsl.				Y	x	x			x
	卷丹 <i>Lilium lancifolium</i> Thunb.		K	D		x	x			x
	川百合 <i>Lilium davidii</i> Duchartre	Q				x	x			x
	尖果洼瓣花 <i>Lloydia oxycarpa</i> Franch.			D	Y		x			x
	西藏洼瓣花 <i>Lloydia tibetica</i> Baker ex Oliver	Q					x			x
	假百合 <i>Notholirion bulbuliferum</i> (Lingelsheim apud Limpr.f.) Stearn	Q					x			x
	间型沿阶草 <i>Ophiopogon intermedius</i> D. Don	Q					x			
	麦冬 <i>Ophiopogon japonicus</i> (L. f.) Ker-Gawl.	Q				x	x			
	七叶一枝花 <i>Paris polyphylla</i> Sm.		K			x	x			
	互卷黄精 <i>Polygonatum alternicirrhosum</i> Hand.-Mazz.		K			x	x			x
	轮叶黄精 <i>Polygonatum verticillatum</i> (L.) All.	Q				x	x			x
	湖北黄精 <i>Polygonatum zanlanscianense</i> Pampan.	Q				x	x			x
	卷叶黄精 <i>Polygonatum cirrhifolium</i> (Wall.) Royle	Q				x	x			x
	卷叶玉竹 <i>Polygonatum cirrhifolioses</i> D. M. Liu et W. Z. Zeng	Q				x	x			x
	康定玉竹 <i>Polygonatum prattii</i> Baker		K			x	x			x
	防己叶菝葜 <i>Smilax menispermoides</i> A. DC.		K				x			
	糙柄菝葜 <i>Smilax trachypoda</i> J.B.S.Norton			D			x			
	鞘柄菝葜 <i>Smilax glauco-china</i> Warb.		K				x			
	高大鹿药 <i>Smilacina atropurpurea</i> (Franch.) Wang et Tang		K				x			
	管花鹿药 <i>Smilacina henryi</i> (Baker) Wang et Tang	Q				x	x			
	窄瓣鹿药 <i>Smilacina paniculata</i> (Baker) Wang et Tang	Q					x			
	扭柄花 <i>Streptopus obtusatus</i> Fassett.		K			x	x			
鸭跖草科 Commelinaceae										
	竹叶子 <i>Streptolirion volubile</i> Edgew.	Q					x			
灯心草科 Juncaceae										
	多花地杨梅 <i>Luzula multiflora</i> (Retz.) Lej.	Q							x	
	灯心草 <i>Juncus effusus</i> L.		K						x	
	葱状灯心草 <i>Juncus concinnus</i> Don	Q							x	
	展苞灯心草 <i>Juncus thomsonii</i> Buchen	Q							x	
	贴苞灯心草 <i>Juncus triglumis</i> Linn.	Q							x	
	喜马拉雅灯心草 <i>Juncus himalensis</i> Klotzsch				Y				x	
	走茎灯心草 <i>Juncus amplifolius</i> A. Gamus				Y				x	
	甘川灯心草 <i>Juncus leucanthus</i> Royle	Q							x	
	雅灯心草 <i>Juncus elegans</i> Sam.	Q							x	
	长苞灯心草 <i>Juncus leucomelas</i> Royle	Q							x	
	枯灯心草 <i>Juncus sikkimensis</i> Hook.f.				Y				x	
薯蓣科 Dioscoreaceae										
	黄独 <i>Dioscorea bulbifera</i> L.		K			x			x	
	蜀葵叶薯蓣 <i>Dioscorea althaeoides</i> Knuth		K			x			x	
	叉蕊薯蓣 <i>Dioscorea colletii</i> Hook.f.		K			x			x	

科 (Family)	种 (Species)	分布 (Distribution)				资源类型 (Resource Types)				
		Q	K	D	Y	M	O	A	F	N
兰科 Orchidaceae										
	一花无柱兰 <i>Amitostigma monanthum</i> (Finet.) Schltr.		K				x			
	流苏虾脊兰 <i>Calanthe fimbriata</i> Franch.		K				x			
	凹舌兰 <i>Coeloglossum viride</i> (L.) Hartm.	Q					x			x
	西藏杓兰 <i>Cypripedium tibeticum</i> King ex Rolfe	Q					x	x		x
	黄花杓兰 <i>Cypripedium flavum</i> Hunt et Summerh.	Q					x	x		x
	火烧兰 (小花火烧兰) <i>Epipactis helleborine</i> (L.) Crantz.	Q					x	x		x
	天麻 <i>Gastrodia elata</i> Bl.		K			x	x			
	小斑叶兰 <i>Goodyera repens</i> (Linn.) R. Br.	Q					x			
	手参 <i>Gymnadenia conopsea</i> (L.) R. Br.	Q				x	x			
	西南手参 <i>Gymnadenia orchidis</i> Lindl.	Q				x	x			
	粉叶玉凤花 <i>Habenaria glaucifolia</i> Bur. et Franch.	Q					x			x
	西藏玉凤花 <i>Habenaria tibetica</i> Schltr. ex Limpricht		K	D			x			x
	舌喙兰 <i>Hemipilia cruciata</i> Finet	Q					x			
	裂瓣角盘兰 <i>Herminium alaschanicum</i> Maxim.	Q					x			x
	宽萼角盘兰 <i>Herminium souliei</i> Schltr.	Q					x			x
	沼兰 <i>Malaxis monophyllos</i> (L.)Sw.		K				x			
	大花鸟巢兰 <i>Neottia megalochila</i> S. C. Chen		K	D			x	x		x
	二叶兜背兰 <i>Neottianthe cucullata</i> (L.) Schltr.	Q					x	x		x
	广布红门兰 <i>Orchis chusua</i> D. Don	Q				x	x			
	华西红门兰 <i>Orchis limprichtii</i> Schltr.		K			x	x			
	矮山兰 <i>Oreorchis parvula</i> Schltr.		K				x			
	硬叶山兰 <i>Oreorchis nana</i> Schltr.		K				x			
	金川阔蕊兰 <i>Peristylus jinchuanicus</i> K. Y. Lang		K	D			x			
	川西阔蕊兰 <i>Peristylus neotineseoides</i> (Ames et Schltr.) K. Y. Lang		K				x			
	条叶舌唇兰 <i>Platanthera leptocaulon</i> (Hook. f.) Soo	Q					x			
	高原舌唇兰 <i>Platanthera exelliana</i> Soo	Q					x			
	绶草 (盘龙参) <i>Spiranthes sinensis</i> (Pers.) Ames	Q				x	x			

分布: Q=三地均有, K=康定, D=丹巴, Y=雅江

资源类型: M= 药用植物, O= 观赏植物, A=芳香植物, F= 纤维植物, N=蜜源植物。

Distribution: Q = All at three sites, K = Kanding, D = Danba, Y = Yaijang

Resource Types: M= Medicinal, O= Ornamental, A=Aromatic, F= Fibrous, N=Nectarial.