



## Listado de Plantas Colectadas e Identificadas en las Áreas Focales del RAP Calderas 2008, Andes de Venezuela

Authors: Stergios, Basil, and Miguel Niño, Santos

Source: Rapid Assessment of the Biodiversity of the Ramal Calderas, Venezuelan Andes: 120

Published By: Conservation International

URL: <https://doi.org/10.1896/054.056.0120>

---

BioOne Complete ([complete.BioOne.org](http://complete.BioOne.org)) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at [www.bioone.org/terms-of-use](http://www.bioone.org/terms-of-use).

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

---

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

## Apéndice 1.

### Listado de plantas colectadas e identificadas en las áreas focales del RAP Calderas 2008, Andes de Venezuela

Basil Stergios y Santos Miguel Niño

PTERIDOPHYTA	
Equisetopsida	
Equisetaceae	
<i>Equisetum bogotense</i> Kunth.	<i>Sticherus revolutus</i> ( Kunth) Ching.
Lycopodiaceae	<i>Sticherus rubiginosus</i> ( Mett) Nakai.
<i>Huperzia capellae</i> ( Heter) Holub.	<i>Sticherus tomentosus</i> ( Cav. Ex Sw) A.R. Sm.
<i>Lycopodiella cernua</i> ( L.) Pic. Serm.	Hymenophyllaceae
<i>Lycopodium clavatum</i> L.	<i>Trichomanes</i> sp.
<i>Lycopodium complanatum</i> L.	<i>Lophosoriaceae</i>
<i>Lycopodium contiguum</i> Klotzsch.	<i>Lophosoria quadripinnata</i> ( J.F.Gmel.) C.Chr.
Selaginellaceae	Polypodiaceae
<i>Selaginella cavigolia</i> A. Braun	<i>Campyloneurum amphostenon</i> ( Kunze ex Klotzsch) Fée.
<i>Selaginella</i> sp.	<i>Microgramma percussa</i> ( Cav.) de la Sota
Aspleniaceae	<i>Polypodium eleutherophlebium</i> ( Fée) Mett.
<i>Asplenium abscissum</i> Willd	<i>Polypodium fraxinifolium</i> Jacq.
<i>Asplenium cristatum</i> Lam.	Pteridaceae
<i>Asplenium cuspidatum</i> Lam.	<i>Adiantum macrophyllum</i> Sw.
Blechnaceae	<i>Eriosorus flexuosus</i> ( Kunth) Copel
<i>Blechnum meridense</i> Klotzsch	<i>Jamesonia imbricata</i> ( Sw.) Hook. & Grev.
<i>Blechnum polypodioides</i> Raddi	SPERMATOPHYTA
<i>Blechnum schomburgkii</i> ( Klotzsch.) C. Chr.	Pinopsida
<i>Blechnum</i> sp.	Podocarpaceae
Cyatheaceae	<i>Podocarpus</i> sp.
<i>Alsophila engelli</i> R.M. Tryon	MAGNOLIOPHYTA
<i>Cnemidaria horrida</i> ( L.) Presl.	LILIOPSIDA
<i>Cyathea andina</i> ( H. Karst.) Domin.	Alstromeriaceae
<i>Cyathea caracasana</i> ( Klotzsch.) Domin	<i>Bomarea amilcariana</i> Stergios & Dorr
<i>Cyathea decomposita</i> ( Karst.) Domin	<i>Bomarea edulis</i> ( Tussac) Herb.
<i>Cyathea fulva</i> ( M. Martens & Galeotti) Fée	Araceae
<i>Cyathea pungens</i> ( Willd.) Domin	<i>Anthurium amoenum</i> Kunth & Bouché var.
Dennstaedtiaceae	<i>Anthurium bernardii</i> Croat.
<i>Dennstaedtia arborescens</i> ( Willd.) Maxon	<i>Anthurium eminens</i> Schott.
<i>Pteridium arachnoideum</i> ( Kaulf.) Maxon.	<i>Anthurium nymphaeifolium</i> K. Koch & Bouché
Dryopteridaceae	<i>Anthurium scandens</i> ( Aubl.) Engl.
<i>Diplazium bians</i> Kunze ex Klotzsch	<i>Anthurium smaragdinum</i> G.S Bunting
<i>Diplazium</i> sp.	<i>Caladium bicolor</i> ( Aiten) Vent.
<i>Elaphoglossum affine</i> ( M. Martens & Galeotti) T. Moore	<i>Philodendron fraternus</i> Schott.
<i>Elaphoglossum</i> sp.	<i>Philodendron tuerckheimii</i> Grayum
Gleicheniaceae	<i>Xanthosoma sagittifolium</i> ( L.) Schott in Schott and Engl.
<i>Sticherus pallescens</i> ( Mett.) Vareschi	<i>Xanthosoma</i> sp.

<i>Bactris setulosa</i> H. Karst.	<i>Rhynchospora polypylla</i> Vahl.
<i>Chamaedorea pinnatifrons</i> (Jacq.) Oers.	<i>Rhynchospora rugosa</i> (Valh) Gale
<i>Geonomia jussieuana</i> Mart.	<i>Rhynchospora tuerckheimii</i> C.B.Clarke ex Kück.
<i>Geonomia orbigniana</i> Mart	<b>Eriocaulaceae</b>
<i>Geonomia undata</i> Klotzsch	<i>Paepalanthus pilosus</i> (Kunth) Kunth
<i>Geonomia weberbaueri</i> Dammer ex Burret.	<i>Paepalanthus</i> sp.
<i>Geonomia</i> sp.	<b>Heliconiaceae</b>
<i>Prestoea acuminata</i> Willd,	<i>Heliconia hirsuta</i> L.F
<i>Wettinia praermorsa</i> (Willd) Wess. Boer.	<i>Heliconia medirensis</i> Klotzsch
<b>Bromeliaceae</b>	<i>Heliconia stricta</i> Huber
<i>Greigia albo-rosea</i> (Griseb.) Mez.	<i>Heliconia</i> sp.
<i>Guzmania mitis</i> L.B. Smith.	<b>Iridaceae</b>
<i>Pitcairnia brevicalycina</i> Mez	<i>Orthrosanthus acorifolius</i> (Kunth) Ravenna
<i>Pitcairnia maidifolia</i> (C. Morren)	<b>Juncaceae</b>
<i>Puya aristiguietae</i> L.B. Smith.	<i>Juncos bufonius</i> L.
<i>Racinaea tetrandra</i> (R. & P.) Spencer & L.B. Smith	<b>Liliaceae</b>
<i>Tillandsia compacta</i> Griseb.	<i>Smilax</i> sp.
<b>Burmanniaceae</b>	<b>Marantaceae</b>
<i>Gymnosiphon suaveolens</i> (H. Karst.) Urban	<i>Stromanthe tonckat</i> (Aubl.) Eichler
<b>Cannaceae</b>	<b>Orchidaceae</b>
<i>Canna paniculata</i> Ruiz & Pav	<i>Anathallis sclerophylla</i> (Lindl.) Pridgen & M.W.Chase
<b>Commelinaceae</b>	<i>Brachitia grumacea</i> Rchb.f.
<i>Commelina obliqua</i> Vahl.	<i>Cattleya mossiae</i> Parker ex Hook
<i>Dichorisandra hexandra</i> (Aubl.) Standl.	<i>Crocodeilanthe galeata</i> (Lindl.) Luer.
<i>Tradescantia zanonia</i> (L.) Sw	<i>Dichaea camaridioides</i> Schltr.
<b>Costaceae</b>	<i>Dichaea latifolia</i> Lindl.
<i>Costus villosissimus</i> Jacq.	<i>Dichaea morrisii</i> Faws.
<b>Cyclanthaceae</b>	<i>Dichaea robusta</i> Schtrr
<i>Asplundia vagans</i> Harling.	<i>Elleanthus flavescens</i> (Lindl.) Rchb, f.
<i>Asplundia</i> sp.	<i>Epidendrum cereiflorum</i> Garay & Dunst.
<i>Cyclanthus bipartitus</i> Poit.	<i>Epidendrum cernuum</i> Kunth.
<i>Sphaeradenia laucheana</i> (Mast) Harling	<i>Epidendrum pseudocernuum</i> Carnevali & I. Ramirez.
<b>Cyperaceae</b>	<i>Epidendrum repens</i> Cogn.
<i>Carex bonplandii</i> Kunth.	<i>Gomphichis costaricensis</i> (Schl.) Anes et al
<i>Cerex tamana</i> Steyermark.	<i>Habeneria parviflora</i> Lindl.
<i>Cyperus niger</i> Ruiz & Pav.	<i>Jacquiniella teretifolia</i> (Sw.) Britton & P. Wilson
<i>Eleocharis flavescens</i> (Poir.) Urb.	<i>Malaxis</i> sp.
<i>Eleocharis montana</i> (kunth) Roem.	<i>Maxillaria miniata</i> (Lindl) L.O. Williams
<i>Eleocharis stenocarpa</i> Svensson	<i>Oncidium abortivum</i> Rchb.f.
<i>Eleocharis</i> sp.	<i>Pleurothallis bivalvis</i> Lindl.
<i>Kyllinga pumila</i> Michx.	<i>Pleurothallis strobilifera</i> F. Lenhm.
<i>Rhynchospora gollmeri</i> Boeckl.	<i>Prostecchea brachychila</i> (Lindl.) W. Higgins
<i>Rhynchospora hieronymii</i> Boeck.	<i>Scaphyglottis summerii</i> L.O. Williams
<i>Rhynchospora macrochaeta</i> Steud. Ex Böeck.	<i>Sobralia violacea</i> Linden ex Lindl.

<i>Stelis hallii</i> Lindl. Var (Lindl) Garay	<i>Amaranthus dubius</i> Mart.
<i>Stelis</i> sp.	<i>Amaranthus spinosus</i> L.
<i>Trichocentrum pulchrum</i> Poepp. & Endl.	<i>Iresine diffusa</i> Humb & Bonpl
<b>Poaceae</b>	<b>Anacardiaceae</b>
<i>Agrostis subreprens</i> (Hitchc.) Hitchc.	<i>Tapirira guianensis</i> Aubl.
<i>Andropogon bicornis</i> L	<b>Annonaceae</b>
<i>Arthrostylidium venezuelae</i> (Steud.) McClure	<i>Guatteria pilosula</i> Planch. & Lindau
<i>Calamagrostis bogotensis</i> (Pilg.) Pilger	<i>Guatteria</i> sp.
<i>Calamagrostis planifolia</i> (Kunth) Trin. ex Steud.	<b>Apiaceae</b>
<i>Chusquea angustifolia</i> (Soderstr. & C.E. Calderón) L.G. Clark.	<i>Daucus</i> sp.
<i>Chusquea fendleri</i> Munro	<b>Apocynaceae</b>
<i>Chusquea serpens</i> L.G. Clark	<i>Asclepias curassavica</i> L.
<i>Cortaderia hapalotricha</i> (Pilg.) Conert.	<i>Cynanchum</i> sp.
<i>Lisiacis nigra</i> Davidse.	<i>Tabernaemontana cymosa</i> Jacq.
<i>Melinis minutiflora</i> P. Beauv.	<b>Aquifoliaceae</b>
<i>Neurolepis aperta</i> (Munro) Pilg.	<i>Ilex myricoides</i> Kunth.
<i>Neurolepis mollis</i> Swallen.	<b>Araliaceae</b>
<i>Panicum polygonatum</i> Schrad.	<i>Dendropanax arboreus</i> (L.) Decne
<i>Paspalum macrophyllum</i> Kunth.	<i>Dendropanax</i> sp.
<i>Paspalum</i> sp.	<i>Oreopanax discolor</i> (Kunth) Decne
<i>Pennisetum bambusiforme</i> (Fourn) Hemsl. Ex B.D. Jacks.	<i>Oreopanax</i> sp.
<i>Poa annua</i> L.	<i>Schefflera ferruginea</i> (Wiilld. ex Roem. & Schult) Harms.
<i>Rhipidocladum geminatum</i> (McClure) McClure	<b>Asteraceae</b>
<b>Smilacaceae</b>	<i>Achyrocline satureioides</i> (Lam.) DC.
<i>Smilax kunthii</i> Killip & c.v Morton	<i>Acmella</i> sp.
<b>Tofieldiaceae</b>	<i>Ageratina ibaguensis</i> (Sch. Bip. ex Hieron) R.M. King & H. Rob.
<i>Isidrogalvia robustior</i> (Steyermark) Cruden	<i>Ageratina neriifolia</i> (B.L. Rob.) R.M. King & H. Rob.
<b>Xyridaceae</b>	<i>Ageratum conyzoides</i> L.
<i>Xyris subulata</i> Ruiz & Pav.	<i>Baccharis prunifolia</i> Kunth.
<b>Zingiberaceae</b>	<i>Baccharis trinervis</i> Pers.
<i>Renealmia thyrsoidea</i> (Ruiz y Pav) Poepp. & Endl.	<i>Baccharis Brachylaenoides</i> DC.
<b>MAGNOLIOPSIDA</b>	<i>Bidens decussata</i> (Klatt.) Hieron
<b>Acanthaceae</b>	<i>Carramboa trujillensis</i> (Cuatrec.) Cuatrec.
<i>Aphelandra macrophylla</i> Leonard.	<i>Chromolaena meridensis</i> (B.L. Rob.) R. M. King & H. Rob.
<i>Justicia secunda</i> Vahl.	<i>Elephantopus mollis</i> H.B.K.
<i>Mendoncia tovarensis</i> . (Klotzsch & H. Karst. Ex Nees)	<i>Gamochaeta americana</i> (Mill.) Wedd.
Leonard.	<i>Gnaphalium gaudichaudianum</i> DC.
<i>Ruellia tubiflora</i> H.B.K. var. <i>tetragastrantha</i> (Lindau)	<i>Gnaphalium moritzianum</i> (Klatt) Aristeg.
Leonard	<i>Jaegaria hirta</i> (Lag.) Less.
<b>Actinidiaceae</b>	<i>Libanothamnus griffinii</i> (Ruiz Terán & Lopez) Cuatrec.
<i>Sauraia meridensis</i> Steyermark.	<i>Mikania banisterie</i> DC.
<b>Aquifoliaceae</b>	<i>Mikania bogotensis</i> Benth.
<i>Ilex laurina</i> Kunth	<i>Mikania hookeriana</i> Dc.
<b>Amaranthaceae</b>	<i>Oyedaea verbesinoides</i> Dc
<i>Alternanthera mexicana</i> (Schltdl.) Hieron	

*Pentacalia apiculata* (sch. Bip. ex Weedd.) Cuatrec.  
*Pentacalia cachacoensis* ( Cuatrec) Cuatrec.  
*Pentacalia theaefolia* ( Benth.) Cuatrec.  
*Ruilopecia paltonioides* ( Standl.) Cuatrec.  
*Taraxacum officinale* Weber.  
*Tessaria integrifolia* Ruiz & Pav.  
*Tithonia diversifolia* (Hemsl.) Gray.  
*Vernonia brachiata* Benth. Ex Derst.  
**Balanophoraceae**  
*Corynaea crassa* Hook.f.  
**Balsaminaceae**  
*Impatiens walleriana* Hook.f  
**Begoniaceae**  
*Begonia brevipetala* ( A. DC) Warb.  
*Begonia dichotoma* Jacq.  
*Begonia urophylla* Hook.  
*Begonia vareschii* Irmsch.  
**Bombacaceae**  
*Quararibea magnifica* Pittier  
**Boraginaceae**  
*Cordia cylindrostachya* ( Ruiz & Pav.) Roem. & Schult.  
*Cordia sericicalyx* DC.  
*Tournefortia scabrida* Kunth.  
**Brassicaceae**  
*Cardamine ovata* Benth.  
**Burseraceae**  
*Protium tovarensense* Pittier.  
**Cactaceae**  
*Rhipsalis baccifera* ( Sol.ex J.S Muell) Stearn.  
**Caesalpiniaceae**  
*Senna bacillaris* (L.f.) H.S.Irwin & Barneby  
*Senna macrophylla* (Kunth) Irwin & Barneby  
*Senna pendula* ( Humb. & Bompl.ex Willd.) H. Irwin & Barneby  
**Campanulaceae**  
*Centropogon aff. elmanus* E. Wimn.  
*Centropogon solanifolius* Benth.  
*Siphocampylus odontosepalus* Vatke.  
**Caryophyllaceae**  
*Drymaria cordata* (L.) Willd.  
*Drymaria villosa* Cham. & Schld.  
**Cecropiaceae**  
*Cecropia sararensis* Cuatrec.  
*Cecropia telenitida* Cuatrec.  
*Cecropia* sp.

**Celastraceae**  
*Porrottetia quinduensis* Kunth  
**Chloranthaceae**  
*Hedyosmum crenatum* Occhioni.  
*Hedyosmum goudotianum* Solms-Laub.  
*Hedyosmum translucidum* Cuatrec.  
**Chrysobalanaceae**  
*Hirtella* sp.  
*Licania* sp.  
**Clethraceae**  
*Clethra fagifolia* Kunth  
**Clusiaceae**  
*Clusia alata* Triana & Planch.  
*Clusia* sp.  
*Garcinia madruno* (H.B.K.) Hammel  
*Hypericum cardonae* Cuatrec.  
*Hypericum juniperinum* Kunth.  
*Hypericum thesiifolium* Kunth.  
*Tovomita glauca* Pl. & Tr.  
*Vismia baccifera* subsp. *dealbata* (H.B.K.) Ewan  
**Convolvulaceae**  
*Ipomoea trichocarpa* Elliott x *I. Lacunosa* L.  
**Crassulaceae**  
*Kalanchoe pinnata* (Lam.) Pers.  
**Cucurbitaceae**  
*Gurania* sp.  
*Psiguria triphylla* (Miq.) C. Jeffrey.  
*Psiguria* sp.  
*Selsia prunifera* (Poepp. et Endl.) Cogn.  
**Cunoniaceae**  
*Weinmannia balbisiana* Kunth  
*Weinmannia lechleriana* Engl.  
**Dichapetalaceae**  
*Dichapetalum pedunculatum* (DC.) Baill.  
**Droseraceae**  
*Drosera cendensis* Tamayo & Croizat.  
**Elaeocarpaceae**  
*Sloanea guianensis* Aubl.  
*Sloanea laurifolia* ( Benth ) Benth.  
**Ericaceae**  
*Bejaria aestuans* L.  
*Cavendishia bracteata* ( Ruiz & Pav.ex J. St. Hil.) Hoerold  
*Disterigma alaternoides* (Kunth) Nied.  
*Gaultheria alnifolia* ( Dunal ) A.C. Sm.  
*Gaultheria buxifolia* Willd.

<i>Gaultheria Hapalotricha A.C.</i>	<b>Hippocastanaceae</b>
<i>Gaultheria myrsinoides Kunth.</i>	<i>Billia rosea</i>
<i>Maclenia penduliflora (Dunal) Klotzsch.</i>	<b>Icacinaceae</b>
<i>Maclenia rupestris (Kunth) A.C.Smith</i>	<i>Calatola venezolana Pittier.</i>
<i>Psammisia hookeriana Klotzsch.</i>	<b>Lamiaceae</b>
<i>Psammisia penduliflora (Dun.) KL.</i>	<i>Hyptis atrorubens Poit.</i>
<i>Thamistoclea dependens (Benth.) A.C. Smith</i>	<i>Ocimum campechianum Mill.</i>
<i>Vaccinium corymbodendron Dunal.</i>	<b>Lauraceae</b>
<b>Erythroxylaceae</b>	<i>Aionea dubia ( Kunth ) Mez.</i>
<i>Erythroxylum sp.</i>	<i>Aniba sp.</i>
<b>Euphorbiaceae</b>	<i>Beilschmiedia tovarensis ( Meisn. ) Sa. Nishida</i>
<i>Acalypha macrostachya Jacq.</i>	<i>Nectandra sp.</i>
<i>Alchornea glandulosa Poepp. &amp; Endl.</i>	<i>Ocotea floribunda ( Sw. ) Mez.</i>
<i>Alchornea grandiflora Müll Arg.</i>	<i>Ocotea aff. rubrinervis Mez.</i>
<i>Alchornea triplinervia ( Spreng. ) Mull.</i>	<i>Ocotea sp1.</i>
<i>Caryodendrom orinocense H. Karst.</i>	<i>Ocotea sp2.</i>
<i>Croizatia brevipetiolata ( Secco ) Dorr.</i>	<b>Lecythidaceae</b>
<i>Heronima oblonga ( Tul. ) Müll. Arg.</i>	<i>Eschweilera aff.antioquienis Dougand &amp; Daniel.</i>
<i>Heronima moritziana ( Müll. Arg )</i>	<i>Eschweilera perumbonata Pittier</i>
<i>Mabea occidentalis Benth</i>	<b>Lentibulariaceae</b>
<i>Mabea sp.</i>	<i>Utricularia alpina Jacq.</i>
<i>Richeria grandis Vahl.</i>	<b>Loranthaceae</b>
<b>Fabaceae</b>	<i>Aetanthus nodosus ( Desr ) Engl.</i>
<i>Desmodium intortum ( Mill. ) Urb.</i>	<i>Gaiadendron punctatum ( Ruiz &amp; Pav ) G. Don.</i>
<i>Erythrina berteroana Urb.</i>	<i>Phthirusa pyrifolia ( Kunth ) Eichl.</i>
<i>Erythrina poeppigiana ( Walp. ) O.F. Cook</i>	<b>Malpighiaceae</b>
<b>Flacourtiaceae</b>	<i>Bunchosia armeniaca ( Cav. ) DC.</i>
<i>Casearia tachirensis Slumer.</i>	<i>Byrsonima hypoleuca Turcz</i>
<b>Gentianaceae</b>	<b>Malvaceae</b>
<i>Gentianella nevadensis ( Gilg ) Weaver &amp; Rudenberg.</i>	<i>Helicocarpus americanus L.</i>
<i>Macrocarpaea ( Griseb. ) Gilg</i>	<i>Helicocarpus sp.</i>
<i>Macrocarpaea bracteata Ewan.</i>	<i>Malvaviscus sp.</i>
<i>Symbolanthus vasculosus ( Griseb ) Gilg.</i>	<i>Sida acuta Burm.</i>
<i>Symbolanthus sp.</i>	<i>Sida rhombifolia L.</i>
<i>Voyria aphylla ( Jacq. ) Pers.</i>	<b>Melastomateceae</b>
<b>Geraniaceae</b>	<i>Anaectocalyx bracteosa ( Naudin ) Triana</i>
<i>Geranium sp.</i>	<i>Blakea schilmii ( Naudin ) Triana</i>
<b>Gesneriaceae</b>	<i>Chaetolepis lindeneina ( Naudin ) Triana</i>
<i>Besleria pendula Hanst.</i>	<i>Clidemia monantha L.O Williams.</i>
<i>Columnea sanguinea ( Pers. ) Hanst.</i>	<i>Meriania grandidens Triana.</i>
<i>Corytoplectus congestus ( Linden ex Hanst. ) Wichler</i>	<i>Miconia aeruginosa Naudin</i>
<i>Episcia sp.</i>	<i>Miconia albicans ( Sw. ) Triana</i>
<i>Koheleria hirsuta ( Kunth ) Regel</i>	<i>Miconia lonchophylla Naudin.</i>
<b>Gunneraceae</b>	<i>Miconia lucida Naudin.</i>
<i>Gunnera venezolana L.E. Mora</i>	

- Miconia meridensis Triana*  
*Miconia punctata (Desr.) D. Don ex Dc.*  
*Miconia theaezans (Bonpl.) Cong.*  
*Miconia tinifolia Naudin.*  
*Miconia trinervia (Sw.) D. Don ex Loudon*  
*Miconia sp.*  
*Monochaetum bomplandii (Kunth) Naudin*  
*Monochaetum discolor Karst. Ex Triana*  
*Monochaetum villosum Gleason*  
*Tibouchina cryptadena Gleason*  
*Tibouchina geitneriana (Schltdl.) Cong.*  
*Tibouchina longifolia (Vahl) Bail.*  
**Meliaceae**  
*Cedrella montana Moritz ex Turcz.*  
*Cedrella odorata L.*  
*Guarea kunthiana A. Juss.*  
*Ruagea pubescens Karsten.*  
**Mimosaceae**  
*Calliandra sp.*  
*Inga edulis Mart.*  
*Inga nobilis Willd.*  
*Inga sapindoides Willd.*  
**Monimiaceae**  
*Siparuna thecaphora (Poepp. & Endl.) A.DC.*  
**Moraceae**  
*Pseudolmedia rigida (Planch. & H. Karst.) Cuatrec.*  
*Ficus eximia Schott.*  
*Ficus nymphaeifolia Mill.*  
*Ficus tonduzii Standl.*  
**Myricaceae**  
*Myrica pubescens Humb. & Bonpl*  
**Myrsinaceae**  
*Ardisia foetida Willd.*  
*Cybianthus cuspidatus Miq.*  
*Cybianthus marginatus (Benth.) Pipoly*  
*Cybianthus sp.*  
*Myrsine coriacea (Sw.) R. Br. Ex Roem. & Schult.*  
*Parathesis venezuelana Mez*  
*Stylogyne longifolia (Mart. Ex Miq.) Mez*  
**Myrtaceae**  
*Calycolpus moritzianus (O. Berg) Burret.*  
*Eugenia sp.*  
*Myrcia acuminata (H.B.K.) DC.*  
*Myrcia sp.*  
**Olacaceae**  
*Heisteria acuminata (Humb. & Bonpl.) Engl.*  
**Onagraceae**  
*Fuchsia magellanica Lam.*  
*Ludwigia peruviana (L.) H. Harra*  
*Ludwigia sp.*  
**Papaveraceae**  
*Bocconia integrifolia Bonpl.*  
*Bocconia frutescens L.*  
**Passifloraceae**  
*Passiflora bogotensis Benth.*  
*Passiflora edulis Sims.*  
**Phytolaccaceae**  
*Phytolacca rivinoides Kunth & C.D*  
*Phytolacca rugosa A. Braun & C.D*  
*Phytolacca sanguinea H. Walter.*  
**Piperaceae**  
*Peperomia acuminata Ruiz & Pav.*  
*Peperomia meridana Yunk*  
*Peperomia peltoides Kunth.*  
*Peperomia tetraphylla (G. Forst.) Hook. & Arn.*  
*Peperomia sp.*  
*Piper aduncum L.*  
*Piper aequale Vahl.*  
*Piper hispidum Sw.*  
*Piper longispicum C. DC.*  
*Piper phytolacaeifolium Opiz.*  
*Piper sp.*  
**Plantaginaceae**  
*Plantago australis Lam.*  
**Polygalaceae**  
*Monnima meridensis Planch & Lind.*  
*Polygala paniculata L.*  
*Polygala sp.*  
*Securidaca tenuiflora Chodat*  
**Polygonaceae**  
*Coccoloba sp.*  
**Proteaceae**  
*Panopsis suaveolens (Klotzsch & H. Karst.) Pittier*  
**Rhizophoraceae**  
*Cassipourea guianensis Aubl.*  
**Rosaceae**  
*Hesperomeles sp.*  
*Lachemilla moritziana Dammer.*

<i>Lachemilla verticillata</i> ( Fielding & Gerdner) Rothm.	<b>Sapotaceae</b>
<i>Lachemilla</i> sp.	<i>Chrysophyllum cainito</i> L.
<i>Rubus floribundus</i> Kunth.	<i>Pouteria baehniana</i> Monach.
<i>Rubus nubigenus</i> Kunth.	<b>Scrophulariaceae</b>
<i>Rubus robustus</i> C. Presl.	<i>Bartsia</i> sp.
<i>Rubus</i> sp.	<i>Calceolaria mutis ex L.f Ruiz &amp; Pav.</i>
<b>Rubiaceae</b>	<b>Solanaceae</b>
<i>Borreria laevis</i> ( Lam. ) Griseb.	<i>Acnistus arborescens</i> ( L. ) Schlttl.
<i>Cinchona pubescens</i> Vahl.	<i>Browallia americana</i> L.
<i>Coccocypselum lanceolatum</i> ( Ruiz & Pavón ) Pers.	<i>Cestrum bigibbosum</i> Pittier
<i>Coffea arabica</i> L.	<i>Cestrum darcyanum</i> Benitez & N.W. Sawyer.
<i>Coussarea moritziana</i> ( Benth. ) Standl.	<i>Cestrum recemosum</i> Ruiz & Pavón
<i>Faramea killipii</i> Standl.	<i>Solanum acerifolium</i> Humb & Bomp.
<i>Guaettarda crispiflora</i> Vahl	<i>Solanum aturense</i> Dunal
<i>Hippotis albiflora</i> Karsten	<i>Solanum vestissimum</i> Dunal
<i>Hoffmannia pauciflora</i> Standl	<i>Solanum volubile</i> Sw.
<i>Hoffmannia</i> sp.	<i>Witheringia solanacea</i> L Herit
<i>Mannettia</i> sp.	<b>Tovariaceae</b>
<i>Nertera granadensis</i> ( Mutis ex L. f ) Druce	<i>Tovaria pendula</i> Ruiz & Pav.
<i>Palicourea andaluciana</i> Standl.	<b>Ulmaceae</b>
<i>Palicourea angustifolia</i> H.B.K.	<i>Lozanella enantiophylla</i> ( Donn. Sm. ) Killip & C.V. Morton
<i>Palicourea apicata</i> Kunth.	<b>Urticaceae</b>
<i>Palicourea buntingii</i> Steyermark	<i>Phenax hirtus</i> ( Sw. ) Wedd.
<i>Palicourea puberulenta</i> Steyermark.	<i>Pilea microphylla</i> ( L. ) Liebm.
<i>Psychotria aubletiana</i> Steyermark.	<i>Pilea rhombea</i> ( L.f. ) Liebm.
<i>Psychotria lindenii</i> Standl.	<i>Pilea</i> sp.
<i>Psychotria trichotoma</i> Mart. & Gal.	<i>Urera caracasana</i> ( Jacq. ) Griseb.
<i>Psychotria</i> sp.	<b>Valerianaceae</b>
<i>Randia cf. dioica</i> H. Karst.	<i>Valeriana laurifolia</i> Kunth.
<i>Randia</i> sp.	<b>Verbenaceae</b>
<i>Relbunium hypocarpium</i> ( L. ) Hem.	<i>Aegiphila floribunda</i> Mortiz & Moldenke.
<i>Rudgea tayloriae</i> Aymard, Dorr & Cuello.	<i>Aegiphila membranacea</i> Turcz
<i>Simira lezamae</i> Steyermark.	<i>Aegiphila moldenkeana</i> Lopez Pal.
<b>Rutaceae</b>	<i>Aegiphila racemosa</i> Vell.
<i>Conchocarpus larensis</i> ( Tamayo & Croizat ) Kallunki & Pirani	<i>Lantana camara</i> L.
<b>Sabiaceae</b>	<i>Lantana maxima</i> Hayek
<i>Meliosma meridensis</i> Lasser.	<i>Vitex orinocensis</i> H.B.K. var. <i>multiflora</i> Huber
<i>Meliosma tachirensis</i> Steyermark & A.H. Gentry.	<b>Violaceae</b>
<b>Sapindaceae</b>	<i>Viola stipularis</i> Sw.
<i>Allophylus cf. glabratus</i> ( Kunth ) Radlk.	<b>Vitaceae</b>
<i>Billia columbiana</i> Planch. & Linnd	<i>Cissus obliqua</i> Ruiz & Pav.
<i>Matayba camptoneura</i> Radlk.	<b>Vochysiaceae</b>
<i>Paullinia rubiginosa</i> Camb.	<i>Vochysia meridensis</i> Marcano-Berti
	<b>Winteraceae</b>
	<i>Drimys grandensis</i> L.f.